



MAT'L NO.	ENG NO.	MAT'L NO. (TAPE)	ENG NO. (TAPE)	WIRE AWG	MWID	ID MIN	INSULATION COLOR
191640009	SA-259	----	----	22 - 18	.235 (5.97)	.054 (1.35)	RED
191640039	SB-279	191640314	SB-279T	16 - 14	.230 (5.84)	.080 (2.03)	BLUE

(C2)



PARTS ON TAPE



NOTE(S):

- 1 MWID: MAXIMUM WIRE INSULATION DIAMETER
- 2. PART IS RoHS COMPLIANT.

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: CORRECTED ENG NO		molex	
DIMENSION UNITS		SCALE		EC NO: 769404			
INCH/MM		1:1		DRWN: DEANNM1 2023/11/20		.180/4.57 SNAP PLUG NIAC 22-18 16-14 AWG	
GENERAL TOLERANCES (UNLESS SPECIFIED)				CHKD: ETHRODAHL 2023/11/20		PRODUCT CUSTOMER DRAWING	
4 PLACES ±		MM INCH		APPR: ETHRODAHL 2023/11/20		DOCUMENT NUMBER	
3 PLACES ±		± 0.01		INITIAL REVISION:		SD-19164-068	
2 PLACES ±		± 0.25 ± 0.02		DRWN: BENDERLE 2004/09/10		PSD 001 C2	
1 PLACE ±		± 0.5 ±		APPR: RDEROSS 2004/09/13		DOC TYPE DOC PART REVISION	
0 PLACES ±		±		ANGULAR TOL ± 1.0°		MATERIAL NUMBER CUSTOMER SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING B-SIZE 19164		SEE CHART GENERAL MARKET 1 OF 1	