

## Accessories: ø 22MM

### ▶ LEGEND PLATES - EMERGENCY STOP

#### PLASTIC LEGEND PLATES

Part Number



LWE60300

Plastic - Yellow with black engraving

**60mm diameter**

Blank  
EMERGENCY STOP  
EMO  
ARRET D'URGENCE  
NOT AUS

LWE60  
LWE60300  
LWE60900  
LWE60100  
LWE60200

**70mm diameter**

Blank  
EMERGENCY STOP  
EMO

LWE70  
LWE70300  
LWE70900

**80mm diameter**

Blank  
EMERGENCY STOP  
EMO

LWE80  
LWE80300  
LWE90900

**NOTES:**

- 1) Custom diameters and engravings available please contact us for details.
- 2) Contact us for use with guards on page 86.

#### METAL LEGEND PLATES



LWE16300

Metal - Yellow with black lettering

**60mm diameter**

EMERGENCY STOP  
ARRET D'URGENCE  
NOT AUS

LWE16300  
LWE16100  
LWE16200

**80mm diameter**

EMERGENCY STOP  
ARRET D'URGENCE  
NOT AUS

LWE00300  
LWE00100  
LWE00200

## Accessories: $\phi$ 22MM


### ► COMPLETE LEGEND PLATES (FRAME + INSERT)

Standard model - 30 x 45 mm

Part Number



LWP31



Round shape  
Black frame and legend plate  
2 lines maximum, 13 characters per line

**WITHOUT ENGRAVING**

- Red
- Black
- White
- Alu

LWP31  
LWP33  
LWP35  
LWP39

**WITH TEXT OR SYMBOL** (see p. 80 to 83)  
Code to be added at the end of the part number.  
For custom text or symbol please contact us.

- Red - white engraving
- Black - white engraving
- White - black engraving
- Alu - black engraving

LWP31□□□□  
LWP33□□□□  
LWP35□□□□  
LWP39□□□□

**PROTECTIVE MASK FOR LEGEND PLATE (PAPER OR OTHER ...)**


- Transparent

LWP37

Large model - 40 x 45 mm



LWG33



Round shape  
Black frame and legend plate  
2 lines maximum, 18 characters per line

**WITHOUT ENGRAVING**

- Red
- Black
- White
- Alu

LWG31  
LWG33  
LWG35  
LWG39

**WITH TEXT OR SYMBOL** (see p. 80 to 83)  
Code to be added at the end of the part number.  
For custom text or symbol please contact us.

- Red - white engraving
- Black - white engraving
- White - black engraving
- Alu - black engraving

LWG31□□□□  
LWG33□□□□  
LWG35□□□□  
LWG39□□□□





**PROTECTIVE MASK FOR LEGEND PLATE (PAPER OR OTHER ...)**

- Transparent

LWG37




## Accessories: $\phi$ 22MM

### ► COMPLETE LEGEND PLATES (FRAME + INSERT)

		Standard model - 30 x 46 mm	Part Number
 <p>LWP45</p>		<p>Square shape Black frame and legend plate 2 lines maximum, 13 characters per line</p> <p><b>WITHOUT ENGRAVING</b></p> <ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: black;">●</span> Black</li> <li><span style="color: white;">○</span> White</li> <li><span style="color: grey;">●</span> Alu</li> </ul>	<p>LWP41</p> <p>LWP43</p> <p>LWP45</p> <p>LWP49</p>
		<p><b>WITH TEXT OR SYMBOL</b> (see p. 80 to 83) Code to be added at the end of the part number. For custom text or symbol please contact us.</p> <ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red - white engraving</li> <li><span style="color: black;">●</span> Black - white engraving</li> <li><span style="color: white;">○</span> White - black engraving</li> <li><span style="color: grey;">●</span> Alu - black engraving</li> </ul>	<p>LWP41□□□□</p> <p>LWP43□□□□</p> <p>LWP45□□□□</p> <p>LWP49□□□□</p>
		<p><b>PROTECTIVE MASK FOR LEGEND PLATE (PAPER OR OTHER ...)</b></p> <ul style="list-style-type: none"> <li><span style="color: white;">○</span> Transparent</li> </ul>	<p>LWP47</p>
		Standard model - 30 x 69 mm	
 <p>LWP29381</p>		<p>60 Round shape for Twin and Triple Touch operators Black frame and legend plate 2 lines maximum, 13 characters per line</p> <p><b>WITHOUT ENGRAVING</b></p> <ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: black;">●</span> Black</li> <li><span style="color: white;">○</span> White</li> <li><span style="color: grey;">●</span> Alu</li> </ul>	<p>LWP21</p> <p>LWP23</p> <p>LWP25</p> <p>LWP29</p>
		<p><b>WITH TEXT OR SYMBOL</b> (see p. 80 to 83) Code to be added at the end of the part number. For custom text or symbol please contact us.</p> <ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red - white engraving</li> <li><span style="color: black;">●</span> Black - white engraving</li> <li><span style="color: white;">○</span> White - black engraving</li> <li><span style="color: grey;">●</span> Alu - black engraving</li> </ul>	<p>LWP21□□□□</p> <p>LWP23□□□□</p> <p>LWP25□□□□</p> <p>LWP29□□□□</p>
		<p><b>PROTECTIVE MASK FOR LEGEND PLATE (PAPER OR OTHER ...)</b></p> <ul style="list-style-type: none"> <li><span style="color: white;">○</span> Transparent</li> </ul>	<p>LWP27</p>




## Accessories: $\phi$ 22MM




### ▶ LEGEND PLATES - FRAMES ONLY

ROUND	Standard model	Part Number
 <p>LWP3</p>	<p>For use with standard model legend plate inserts</p> <ul style="list-style-type: none"> <li>● Black</li> </ul>	<p>LWP3</p>
 <p>LWG3</p>	<p>For use with large model legend plate inserts</p> <ul style="list-style-type: none"> <li>● Black</li> </ul>	<p>LWG3</p>
 <p>LWP4</p>	<p>For use with standard model legend plate inserts</p> <ul style="list-style-type: none"> <li>● Black</li> </ul>	<p>LWP4</p>
 <p>LWP2</p>	<p>For use with standard model legend plate inserts</p> <ul style="list-style-type: none"> <li>● Black</li> </ul>	<p>LWP2</p>

# Accessories: $\varnothing$ 22MM

## ▶ LEGEND PLATES - INSERTS ONLY

TO BE ENGRAVED	Standard model	Part Number
 <p>LIA5</p>  <p>LIA1</p>	 <p>2 lines maximum 13 characters per line For use with standard model legend plate frames</p> <p><b>WITHOUT ENGRAVING</b></p> <ul style="list-style-type: none"> <li><input checked="" type="radio"/> Red</li> <li><input checked="" type="radio"/> Black</li> <li><input type="radio"/> White</li> <li><input type="radio"/> Alu</li> </ul> <p><b>WITH TEXT OR SYMBOL</b> (see p. 80 to 83) Code to be added at the end of the part number. For custom text or symbol please contact us.</p> <ul style="list-style-type: none"> <li><input checked="" type="radio"/> Red - white engraving</li> <li><input checked="" type="radio"/> Black - white engraving</li> <li><input type="radio"/> White - black engraving</li> <li><input type="radio"/> Alu - black engraving</li> </ul> <p><b>PROTECTIVE MASK FOR LEGEND PLATE (PAPER OR OTHER ...)</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> Transparent</li> </ul>	<p>LIA1</p> <p>LIA3</p> <p>LIA5</p> <p>LIA9</p> <p>LIA1□□□</p> <p>LIA3□□□</p> <p>LIA5□□□</p> <p>LIA9□□□</p> <p>LIA7</p>


TO BE ENGRAVED	Large model	Part Number
 <p>LIB9</p>  <p>LIB3</p>	 <p>2 lines maximum 18 characters per line For use with large model legend plate frame</p> <p><b>Without engraving</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> White</li> <li><input checked="" type="radio"/> Red</li> <li><input type="radio"/> Alu</li> <li><input checked="" type="radio"/> Black</li> </ul> <p><b>WITH TEXT OR SYMBOL</b> (see p. 80 to 83) Code to be added at the end of the part number. For custom text or symbol please contact us.</p> <ul style="list-style-type: none"> <li><input type="radio"/> White - black engraving</li> <li><input checked="" type="radio"/> Red - white engraving</li> <li><input type="radio"/> Alu - black engraving</li> <li><input checked="" type="radio"/> Black - white engraving</li> </ul> <p><b>Protective mask for legend plate (paper or other ...)</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> Transparent</li> </ul>	<p>LIB5</p> <p>LIB1</p> <p>LIB9</p> <p>LIB3</p> <p>LIB5□□□</p> <p>LIB1□□□</p> <p>LIB9□□□</p> <p>LIB3□□□</p> <p>LIB7</p>

# Accessories: $\phi$ 22MM

## ▶ LEGEND PLATES FOR LBX ENCLOSURES

### INDIVIDUAL LEGEND PLATES

Part Number




LWB13

Plastic - Rectangular shape

**WITHOUT ENGRAVING**

- Red
- Black
- Yellow
- White
- Blue
- Alu

- LWB11
- LWB13
- LWB14
- LWB15
- LWB16
- LWB19




LWB19H301

**WITH TEXT (see p. 80 to 83) FOR HORIZONTAL MOUNTING**

Code to be added at the end of the part number.  
For custom text or symbol please contact us.

- Red - white engraving
- Black - white engraving
- Yellow - black engraving
- White - black engraving
- Blue - white engraving
- Alu - black engraving

- LWBH11|\_|\_|\_|
- LWBH13|\_|\_|\_|
- LWBH14|\_|\_|\_|
- LWBH15|\_|\_|\_|
- LWBH16|\_|\_|\_|
- LWBH19|\_|\_|\_|



LWB11V302

**WITH TEXT (see p. 80 to 83) FOR VERTICAL MOUNTING**

Code to be added at the end of the part number.  
For custom text or symbol please contact us.




- Red - white engraving
- Black - white engraving
- Yellow - black engraving
- White - black engraving
- Blue - white engraving
- Alu - black engraving

- LWBV11|\_|\_|\_|
- LWBV13|\_|\_|\_|
- LWBV14|\_|\_|\_|
- LWBV15|\_|\_|\_|
- LWBV16|\_|\_|\_|
- LWBV19|\_|\_|\_|

### MULTI HOLE LEGEND PLATES

SINGLE PIECE MULTI-HOLE  
LEGEND PLATES ARE AVAILABLE

CONTACT US FOR DETAILS.



## Accessories: $\phi$ 22MM

---

### ► CUSTOM LEGEND CAPABILITIES

---

With Multiple Methods We Can Satisfy All Your Custom Legend Needs.

Contact us for more information.

#### TAMPO PRINTING



#### LASER ENGRAVING



#### SILK-SCREENING



# Engravings

## ▶ STANDARD TEXT

UNIVERSAL TEXT		Code		
0-I	.....	.081		
I-II	.....	.082		
I-0-I	.....	.091		
I-II-III	.....	.092		
0-I-START	.....	.093		
0-I-II	.....	.094		
CUSTOM TEXT AVAILABLE UPON REQUEST				
TEXT	Code	Code	Code	Code
AUTO	.....	.402	EXHAUSTER	.....
AUTO CUT	.....	.403	FAST	.....
AUTO HAND	.....	.404	FAST OFF SLOW	.....
AUTO HAND OFF	.....	.405	FAST SLOW	.....
AUTO MAN	.....	.401	FASTER	.....
AUTO MAN OFF	.....	.406	FAULT	.....
AUTO MANUAL	.....	.407	FEED HOLD	.....
AUTO O HAND	.....	.408	FEED OFF	.....
AUTO OFF MAN	.....	.409	FEED ON	.....
AUTO OFF MANUAL	.....	.410	FEED START	.....
AUTO RETURN	.....	.411	FEED STOP	.....
BLOWER	.....	.413	FEEDER OFF	.....
BRAKE	.....	.414	FEEDER ON	.....
CLAMP	.....	.415	FOR	.....
CLOSE	.....	.314	FOR AUTO REV	.....
CLOSE CIRCUIT	.....	.416	FOR O REV	.....
CLOSE OPEN	.....	.417	FOR OFF REV	.....
CONTROL OFF	.....	.418	FOR REV	.....
CONTROL ON	.....	.419	FOR STOP REV	.....
CYCLE	.....	.420	FORWARD	.....
CYCLE ON	.....	.421	FORWARD AUTO REVERSE	.....
CYCLE START	.....	.422	FORWARD OFF REVERSE	.....
CYCLE STOP	.....	.423	FORWARD REVERSE	.....
DECREASE	.....	.424	FORWARD STOP REVERSE	.....
DOWN	.....	.336	FULL SPEED	.....
DOWN OFF UP	.....	.425	FWD	.....
DOWN UP	.....	.426	FWD AUTO REV	.....
DRIVE START	.....	.427	FWD O REV	.....
DRIVE STOP	.....	.428	FWD OFF REV	.....
EMERG STOP	.....	.429	FWD REV	.....
EMERGENCY	.....	.430	FWD STOP REV	.....
EMERGENCY OFF	.....	.431	HAND	.....
EMERGENCY STOP	.....	.300	HAND AUTO	.....
EMERGENCY STOP PULL TO RESET	.....	.432	HAND I AUTO	.....
EMERGENCY STOP TURN TO RESET	.....	.433	HAND O AUTO	.....
EMERGENCY STOP TWIST TO RESET	.....	.434	HAND OFF AUTO	.....
EMO	.....	.900	HAND ON	.....
ENABLE	.....	.435	HAND START	.....
ENTER	.....	.436	HAND STOP	.....
ERROR	.....	.437	HEAT	.....
			HIGH	.....
			HIGH LOW	.....
			HIGH OFF LOW	.....
			IN	.....
			IN OUT	.....
			INCH	.....
			INCH RETURN	.....
			INCH REV	.....
			INCH REVERSE	.....
			INCH RUN	.....
			INCHING	.....
			INCREASE	.....
			INSPECT	.....
			JOG	.....
			JOG FOR	.....
			JOG FORWARD	.....
			JOG FWD	.....
			JOG OFF RUN	.....
			JOG REV	.....
			JOG REVERSE	.....
			JOG RUN	.....
			JOG SAFE RUN	.....
			JOG STOP RUN	.....
			LAST STOP	.....
			LEFT	.....
			LEFT RIGHT	.....
			LOC REM	.....
			LOCAL OFF REMOTE	.....
			LOCAL REMOTE	.....
			LOW	.....
			LOW HIGH	.....
			LOW OFF HIGH	.....
			LOW OFF RAISE	.....
			LOW SPEED	.....
			LOWER	.....
			LOWER OFF RAISE	.....
			LOWER RAISE	.....
			LUBE CYCLE	.....
			LUBE FAIL	.....



# Engravings

▶ STANDARD TEXT

TEXT	Code	Code	Code
MAN AUTO	.509	REV FWD	.552
MAN O AUTO	.510	REV OFF FOR	.553
MAN OFF AUTO	.511	REV OFF FWD	.554
MANUAL	.512	REVERSE	.306
MANUAL AUTO	.513	REVERSE FORWARD	.555
MANUAL OFF AUTO	.514	REVERSE OFF FORWARD	.556
MOTOR RUN	.515	REVERSING	.557
MOTOR RUNNING	.516	RIGHT	.312
MOTOR START	.517	RIGHT LEFT	.558
MOTOR STOP	.518	ROTATE CCW	.559
MOTOR STOPPED	.519	ROTATE CW	.560
		RUN	.327
OFF	.304	RUN JOG	.561
OFF CIRCUIT	.520	RUN SAFE JOG	.562
OFF COOLANT ON	.521	RUNNING	.563
OFF LIGHT ON	.522		
OFF ON	.382	SAFE	.564
OFF RUN START	.523	SAFE RUN	.565
ON	.303	SEQ TEST	.566
ON CIRCUIT	.524	SEQUENCE TEST	.567
ON OFF	.525	SETUP	.568
ON OFF AUTO	.526	SETUP RUN	.569
ON STOP SAFE	.527	SETUP SERVICE	.570
OPEN	.313	SLOW	.309
OPEN CIRCUIT	.528	SLOW FAST	.571
OPEN CLOSE	.529	SLOW OFF FAST	.572
OPEN OFF CLOSE	.530	SLOW OFF START	.573
OUT	.531	SLOW SPEED	.574
OVERLOAD	.532	SLOW STOP FAST	.575
OVERLOAD RESET	.533	SLOWEST	.576
OVERLOAD TRIP	.534	SOFT SPEED	.577
OVERLOAD TRIPPED	.535	SOUND ALARM	.578
		SPEED	.579
POWER OFF	.536	SPINDLE CLOSED	.580
POWER ON	.330	SPINDLE OPEN	.581
PULL TO RESET	.537	START	.301
PULL TO START	.538	START CYCLE	.582
PURGE	.539	START FEED	.583
PUSH TO STOP	.540	START JOG	.584
PUSH TO STOP PULL TO START	.541	START STOP	.585
PUSH TO STOP TURN TO START	.542	STOP	.302
PUSH TO STOP TWIST TO START	.543	STOP CYCLE	.586
PUSH TO TEST	.544	STOP FEED	.587
		STOP RESET	.588
RAISE	.307	STOP START	.381
RAISE LOWER	.545	SUMMER OFF WINTER	.589
RAISE OFF LOWER	.546	SUMMER WINTER	.590
READY	.547	SUPPLY ON	.591
RELEASE BRAKE	.548	SYSTEM ON	.592
RESET	.315		
RETURN	.549	TEST	.593
REV	.550	TRANSFER	.594
REV FOR	.551	TRIP	.595
		UNCLAMP	.596
		UP	.335
		UP DOWN	.597
		UP OFF DOWN	.598
		WARNING	.599

CUSTOM TEXT AVAILABLE  
UPON REQUEST









# Engravings

▶ STANDARD SYMBOLS ISO/DIN












	Description	Symbol	Code
CUSTOM SYMBOLS AVAILABLE UPON REQUEST	Continuous straight-line movement ISO 1		A01
	Alternating straight-line movement ISO 5		A05
	Continuous rotating movement clockwise ISO 7A - DIN 100		A07
	Continuous rotating mov. anti-clockwise ISO 7B		B07
	Forward ISO 16		A16
	Increase in value ISO 28		A28
	Decrease in value ISO 29		A29
	Adjustable ISO 62		A62
	Clamp, block apply pressure ISO 63A		A63
	Clamp, block apply pressure ISO 63B		B63
	Unclamp, release ISO 64A		A64
	Unclamp, release ISO 64B		B64
	Brake ISO 65		A65
	Release brake ISO 66		A66
	Automatic cycle (or semi-automatic) ISO 67		A67
	Manual control ISO 68		A68
	"ON" close circuit ISO 69		A69
	"STOP" close circuit ISO 70		A70
	ON/OFF close + open circuit ISO 71		A71
	Close circuit manual impulse ISO 72		A72
Clutch ISO 74 - DIN 46		A74	
De-clutch ISO 75 - DIN 45		A75	

# Engravings

## ▶ STANDARD SYMBOLS ISO/DIN

	Description	Symbol	Code
CUSTOM SYMBOLS AVAILABLE UPON REQUEST	Warning "live" (energized) ISO 92 - DIN 131		A92
	Main switch ISO 94		A94
	Lubrication jet ISO 101		C01
	Machine lighting ISO 102 - DIN 139		C02
	Greasing ISO 107 - DIN 175		C07
	Blow ISO 108 - DIN 263		C08
	Suction ISO 109 - DIN 264		C09
	Sound alarm DIN 155		D01

## ▶ ADDITIONAL STANDARD SYMBOLS

	Description	Symbol	Code
CUSTOM SYMBOLS AVAILABLE UPON REQUEST			A01
			B01
			E01
			F01
			A62
			B62
			E62
			F62
			003
			004
		005	

## Accessories: $\phi$ 22MM

### ► FLUSH PUSHBUTTON CAPS

#### NON ILLUMINATED

Part Number



LT05

For use with **L21AA, L22AA, L21CA, and L22CA** operators

#### WITHOUT TEXT OR SYMBOL

● Red	LT01
● Green	LT02
● Black	LT03
● Yellow	LT04
○ White	LT05
● Blue	LT06

#### WITH TEXT OR SYMBOL (see p. 80 to 83)

Code to be added at the end of the part number.  
For custom text or symbol please contact us.

● Red - white lettering	LT21□□□□
● Green - white lettering	LT22□□□□
● Black - white lettering	LT23□□□□
● Yellow - black lettering	LT24□□□□
○ White - black lettering	LT25□□□□
● Blue - white lettering	LT26□□□□



LT21302

#### ILLUMINATED



LT20

For use with **L21AH, L22AH, L21CH, and L22CH** operators

#### WITHOUT TEXT OR SYMBOL

● Red	LT10
● Green	LT20
● Yellow	LT40
○ White	LT50
● Blue	LT60

#### WITH TEXT OR SYMBOL (see p. 80 to 83)

Code to be added at the end of the part number.  
For custom text or symbol please contact us.




● Red - white lettering	LT31□□□□
● Green - white lettering	LT32□□□□
● Yellow - black lettering	LT34□□□□
○ Whiteblack lettering	LT35□□□□
● Blue - white lettering	LT36□□□□



LT34308

## Accessories: $\varnothing$ 22MM


### ► SHROUDS - REINFORCED DEGREE OF PROTECTION: IP 67

FOR FLUSH PUSH-BUTTONS	Flat Shroud	Part Number
 <p>LWA0252</p>	<input type="radio"/> Transparent	LWA0255
	<input checked="" type="radio"/> Red	LWA0251
	<input checked="" type="radio"/> Green	LWA0252
	<input checked="" type="radio"/> Black	LWA0253
FOR FLUSH OR PROJECTED PUSH-BUTTONS	Domed Shroud	
 <p>LWA0203</p>	<input type="radio"/> Transparent	LWA0228
	<input checked="" type="radio"/> Red	LWA0203
	<input checked="" type="radio"/> Green	LWA0204
	<input checked="" type="radio"/> Black	LWA0205
FOR TWIN TOUCH OR TRIPLE TOUCH OPERATORS		
 <p>LWA0223</p>	For twin touch flush-projecting or triple touch <input type="radio"/> Transparent	LWA0223


## Accessories: $\phi$ 22MM

### ► MISCELLANEOUS

#### GUARD Part Number



LWA0225




For spring return button and spring return mushroom head  
(max.  $\phi$  40)


- Grey

LWA0225

#### PADLOCKABLE GUARD



LWA0240




For maintained mushroom head


- Yellow

LWA0240

#### SQUARE FRAME



LWA0230



For turning a round shape button or a pilot light into  
a square shape

- Black

LWA0230

#### RELAY TERMINAL (GROUND OR NEUTRAL)



LWA0216

For control station  
Base mounted

LWA0216

## Accessories: $\phi$ 22mm

### ► MISCELLANEOUS

#### ANTI-ROTATION CLAW PLATE

Part Number



LWA0237

Metal claw plate

LWA0237

#### ANTI-ROTATION RING



LWA209

Plastic anti rotation ring - 22mm

LWA0209

#### BLANKING PLUG



LWA0229

- Black
- Grey

LWA0229  
LWA0215

#### SCREWDRIVER - FOR PLUG IN TERMINAL BLOCKS



45040

2.5mm (.098") flat head screwdriver  
for use with plug in terminal blocks

45040

## ► MISCELLANEOUS

### FIXING TOOL

Part Number



LWA0234

Fixing tool for locking ring - 22mm only

**LWA0234**

Fixing tool for locking ring - 22mm & 30mm

**WA0210**

### REDUCTION RING Ø 30/22




LWA0219

Converts Ø 30 mm panel cut-out to 22 mm hole

- Grey
- Yellow

**LWA0219**  
**LWA0220**

### PUSH BUTTON SUPPORT CLIP-ON TO DIN RAIL



LWA0238

For pilot lights, spring return buttons and selector switches

**LWA0238**

### PADLOCKABLE SHROUD



LWA0226

For flush or projected push-buttons only

**LWA0226**



## ► MISCELLANEOUS

### REPLACEMENT KEYS

Part Number



455 / 1424A

Replacement keys (set of 2) - key profile 455

455

Replacement keys (set of 2) - key profile 1424A

1424A

### LOCKING NUT




04006305

Plastic locking nut for 22mm operators

04006305

### BULB EXTRACTOR



LWA0201

For BAgS bulbs

LWA0201

### CABLE GLANDS



M20-BK



PG16-GY

	Size	Cable Thickness	
● Black	M20	6mm - 12mm	<b>M20-BK</b>
● Grey	PG11	3mm - 7mm	<b>PG11-GY</b>
● Grey	PG13.5	6mm - 12mm	<b>PG13-GY</b>
● Grey	PG16	10mm - 14mm	<b>PG16-GY</b>
● Grey	PG21	13mm - 18mm	<b>PG21-GY</b>
● Grey	PG29	18mm - 25mm	<b>PG29-GY</b>