

Duplex Multimode 62.5/125 LSZH Fiber Optic Cable, 1000-ft. Bulk

MODEL NUMBER: N549-01K



Highlights

- Bulk 62.5/125 Multimode Duplex
 Fiber Optic Cable
- Low-Smoke, Zero Halogen (LSZH) jacket
- Zip-Cord Style

Package Includes

Carton of 1,000ft Duplex 62.5/125 Multimode cable

Description

Tripp Lite N549-01K bulk 62.5/125 multimode fiber optic cable is ideal for long backbone runs, or for making your own Fiber patch cables. Individual fibers surrounded by Kevlar yarn for maximun tensile strength and protection. Low-Smoke, Zero Halogen (LSZH) jacket.

Features

- Bulk 62.5/125 Multimode Duplex Fiber Optic Cable
- Low-Smoke, Zero Halogen jacket
- Zip-Cord Style
- Cable marked every meter
- Temp Range: -20C to +70C
- Suitable for Indoor Use
- 7lb Reel

Specifications

OVERVIEW	
UPC Code	037332142924
Clad Diameter	125 micron
Core Diameter	62.5 micron
Number of Fibers	2
Optical Mode	OM2





INPUT		
Cable Length (ft.)	1000	
Cable Length (m)	304.8	
Cable Length (in.)	12000	
PHYSICAL		
Color	Orange	
Shipping Dimensions (hwd / cm)	26.01 x 26.01 x 11.94	
Shipping Dimensions (hwd / in.)	10.24 x 10.24 x 4.70	
Shipping Weight (kg)	2.72	
Shipping Weight (lbs.)	6.00	
ENVIRONMENTAL		
Operating Temperature Range	-20C to +70C	
COMMUNICATIONS		
Network Speed	1Gbps	
CONNECTIONS		
Side A - Connector 1	62.5 BULK	
Side B - Connector 1	62.5 BULK	
FEATURES & SPECIFICATIONS		
Technology	Multimode	
SPECIAL FEATURES		
Push/Pull Tabs	No	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies