

| MATERIAL NO. (OPT -C, -50) | MATERIAL NO. (OPT -C, -49) | MATERIAL NO. (OPT -C) | MATERIAL NO. (INSULATOR) | NUMBER OF CIRCUITS "XX" | DIM. "A" | DIM. "B" |
|-------------------------------|-------------------------------|--------------------------|-----------------------------|----------------------------|--------------|----------------|
| 38710-3902 | 38710-3602 | 38710-3302 | 38718-1235 | 02 | 21.1 (1.83) | 9.53 (1.375) |
| 38710-3903 | 38710-3603 | 38710-3302 | 38718-1236 | 03 | 30.7 (1.21) | 19.05 (1.750) |
| 38710-3904 | 38710-3604 | 38710-3302 | 38718-1237 | 04 | 40.1 (1.58) | 28.58 (1.125) |
| 38710-3905 | 38710-3605 | 38710-3302 | 38718-1238 | 05 | 49.8 (1.96) | 38.10 (1.500) |
| 38710-3906 | 38710-3606 | 38710-3302 | 38718-1239 | 06 | 59.2 (2.33) | 47.63 (1.875) |
| 38710-3907 | 38710-3607 | 38710-3302 | 38718-1240 | 07 | 68.8 (2.71) | 57.15 (2.250) |
| 38710-3908 | 38710-3608 | 38710-3302 | 38718-1241 | 08 | 78.3 (3.08) | 66.68 (2.625) |
| 38710-3909 | 38710-3609 | 38710-3302 | 38718-1242 | 09 | 87.8 (3.46) | 76.20 (3.000) |
| 38710-3910 | 38710-3610 | 38710-3302 | 38718-1243 | 10 | 97.3 (3.83) | 85.73 (3.375) |
| 38710-3911 | 38710-3611 | 38710-3302 | 38718-1244 | 11 | 106.9 (4.21) | 95.25 (3.750) |
| 38710-3912 | 38710-3612 | 38710-3302 | 38718-1245 | 12 | 116.3 (4.58) | 104.78 (4.125) |
| 38710-3913 | 38710-3613 | 38710-3302 | 38718-1246 | 13 | 126.0 (4.96) | 114.30 (4.500) |
| 38710-3914 | 38710-3614 | 38710-3302 | 38718-1247 | 14 | 135.3 (5.33) | 123.83 (4.875) |
| 38710-3915 | 38710-3615 | 38710-3302 | 38718-1248 | 15 | 145.0 (5.71) | 133.35 (5.250) |
| 38710-3916 | 38710-3616 | 38710-3302 | 38718-1249 | 16 | 154.4 (6.08) | 142.88 (5.625) |
| 38710-3917 | 38710-3617 | 38710-3302 | 38718-1250 | 17 | 164.1 (6.46) | 152.40 (6.000) |
| 38710-3918 | 38710-3618 | 38710-3302 | 38718-1251 | 18 | 173.5 (6.83) | 161.93 (6.375) |
| 38710-3919 | 38710-3619 | 38710-3302 | 38718-1252 | 19 | 183.1 (7.21) | 171.45 (6.750) |
| 38710-3920 | 38710-3620 | 38710-3302 | 38718-1253 | 20 | 192.5 (7.58) | 180.98 (7.125) |
| 38710-3921 | 38710-3621 | 38710-3302 | 38718-1254 | 21 | 202.2 (7.96) | 190.50 (7.500) |
| 38710-3922 | 38710-3622 | 38710-3302 | 38718-1255 | 22 | 211.6 (8.33) | 200.03 (7.875) |
| 38710-3923 | 38710-3623 | 38710-3302 | 38718-1256 | 23 | 221.2 (8.71) | 209.55 (8.250) |
| 38710-3924 | 38710-3624 | 38710-3302 | 38718-1257 | 24 | 230.6 (9.08) | 219.08 (8.625) |
| 38710-3925 | 38710-3625 | 38710-3302 | 38718-1258 | 25 | 240.3 (9.46) | 228.60 (9.000) |
| 38710-3926 | 38710-3626 | 38710-3302 | 38718-1259 | 26 | 249.6 (9.83) | 238.13 (9.375) |

| | | | | | | | | | | | |
|--|-----------|--|---|----------------------|-------------------------|--|---------------------------|---|--|----------------------------|-----------------------|
| EC NO. : DRAWN : CHK' : APPR : A | SEE SHT 1 | QUALITY SYMBOLS MAJOR DRITICAL SPC S | GENERAL TOLERANCES: UNLESS SPECIFIED | | SCALE N/A | DESIGN UNITS <input type="checkbox"/> MM <input checked="" type="checkbox"/> INCH | THIRD ANGLE PROJECTION | DIMENSIONS: <input checked="" type="checkbox"/> MM (INCH) <input type="checkbox"/> INCH (MM) <input type="checkbox"/> ONLY | SHIT REV | | |
| | | | 4 PLACES ±.0015 | 3 PLACES ±.038 ±.005 | 2 PLACES ±.13 ±.01 | 1 PLACE ±.3 | ANGLULAR ±2° | DRAWN BY & DATE W. HOWARD 12-18-03 | CHECKED BY & DATE | TITLE: SR, BTS, TT ASSY | REVISE ON CAD ONLY |
| | | | APPROVED BY & DATE | | CAP FILENAME 712XX-C | MATERIAL NO. SEE TABLE | DRAWING NO. E-712XX-C | SHEET NO. 2 OF 2 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. | | |
| | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | SIZE B | | | | | | |

| MATERIAL NO. (OPT -C, -50) | MATERIAL NO. (OPT -C, -49) | MATERIAL NO. (OPT -C) | NUMBER OF CIRCUITS "XX" | DIM. "A" | DIM. "B" |
|-------------------------------|-------------------------------|--------------------------|----------------------------|--------------|----------------|
| 38710-3902 | 38710-3602 | 38710-3302 | 02 | 21.1 (1.83) | 9.51 (1.375) |
| 38710-3903 | 38710-3603 | 38710-3302 | 03 | 30.7 (1.21) | 19.05 (1.750) |
| 38710-3904 | 38710-3604 | 38710-3302 | 04 | 40.1 (1.58) | 28.58 (1.125) |
| 38710-3905 | 38710-3605 | 38710-3302 | 05 | 49.8 (1.96) | 38.10 (1.500) |
| 38710-3906 | 38710-3606 | 38710-3302 | 06 | 59.2 (2.33) | 47.6 (1.875) |
| 38710-3907 | 38710-3607 | 38710-3302 | 07 | 68.8 (2.71) | 57.15 (2.250) |
| 38710-3908 | 38710-3608 | 38710-3302 | 08 | 78.3 (3.08) | 66.68 (2.625) |
| 38710-3909 | 38710-3609 | 38710-3302 | 09 | 87.8 (3.46) | 76.20 (3.000) |
| 38710-3910 | 38710-3610 | 38710-3302 | 10 | 97.3 (3.83) | 85.71 (3.375) |
| 38710-3911 | 38710-3611 | 38710-3302 | 11 | 106.9 (4.21) | 95.25 (3.750) |
| 38710-3912 | 38710-3612 | 38710-3302 | 12 | 116.3 (4.58) | 104.78 (4.125) |
| 38710-3913 | 38710-3613 | 38710-3302 | 13 | 126.0 (4.96) | 114.30 (4.500) |
| 38710-3914 | 38710-3614 | 38710-3302 | 14 | 135.3 (5.33) | 123.83 (4.875) |
| 38710-3915 | 38710-3615 | 38710-3302 | 15 | 145.0 (5.71) | 133.35 (5.250) |
| 38710-3916 | 38710-3616 | 38710-3302 | 16 | 154.4 (6.08) | 142.88 (5.625) |
| 38710-3917 | 38710-3617 | 38710-3302 | 17 | 164.1 (6.46) | 152.40 (6.000) |
| 38710-3918 | 38710-3618 | 38710-3302 | 18 | 173.5 (6.83) | 161.93 (6.375) |
| 38710-3919 | 38710-3619 | 38710-3302 | 19 | 183.1 (7.21) | 171.45 (6.750) |
| 38710-3920 | 38710-3620 | 38710-3302 | 20 | 192.5 (7.58) | 180.98 (7.125) |
| 38710-3921 | 38710-3621 | 38710-3302 | 21 | 202.2 (7.96) | 190.50 (7.500) |
| 38710-3922 | 38710-3622 | 38710-3302 | 22 | 211.6 (8.33) | 200.03 (7.875) |
| 38710-3923 | 38710-3623 | 38710-3302 | 23 | 221.2 (8.71) | 209.55 (8.250) |
| 38710-3924 | 38710-3624 | 38710-3302 | 24 | 230.6 (9.08) | 219.08 (8.625) |
| 38710-3925 | 38710-3625 | 38710-3302 | 25 | 240.3 (9.46) | 228.60 (9.000) |
| 38710-3926 | 38710-3626 | 38710-3302 | 26 | 249.6 (9.83) | 238.13 (9.375) |

| | | | | | | | | |
|--|--|--|---------------------------------------|--|---------------------------|---|-----------------------|------------|
| EC NO. SEE SHT) DRAWN: CH'K: APPR: A | DESCRIPTION MAJOR CRITICAL SPC S | GENERAL TOLERANCES (UNLESS SPECIFIED) | SCALE N/A | DESIG. UNITS <input type="checkbox"/> MM <input checked="" type="checkbox"/> INCH | THIRD ANGLE PROJECTION | DIMENSIONS: <input checked="" type="checkbox"/> MM <input type="checkbox"/> INCH <input type="checkbox"/> MIN ONLY | PROJECT NO.: - - | SHT REV |
| | | 4 PLACES ±.038 ±.0015 3 PLACES ±.038 ±.005 2 PLACES ±.13 ±.01 1 PLACE ±.3 | DRAWN BY & DATE W. HOWARD 12-18-03 | TITLE: SR, BTS, TT ASSY | | | REVISE ON CAD ONLY | |
| | | ANGULAR: ±2° | CHECKED BY & DATE | MOLEX INCORPORATED | | | | |
| | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | APPROVED BY & DATE | CAD FILENAME 712XX-C | MATERIAL NO. SEE TABLE | DRAWING NO. SD-38710-001 | SHEET NO. 2 OF 2 | |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE B