# FLHTC0311-0.35-9 - ACTIVE

#### RAYCHEM

TE Internal #: 5584113003 FlexLite HT, Operating Voltage 600 V, Tin-Plated Copper, 22 AWG Wire Size, .35 mm<sup>2</sup> Wire Size, Operating Temperature Range -65 – 200 °C, Hook Up Wire

#### View on TE.com >

Wire & Cable > Hook Up Wire



Cable Type: FlexLite HT Operating Voltage: 600 V Wire & Cable Insulation Material: Radiation-Crosslinked, Modified ETFE Conductor Material: Tin-Plated Copper Wire Size: 22 AWG

## Features

#### **Usage Conditions**

Cable Type

FlexLite HT

Operating Temperature Range

-65 – 200 °C



#### **Electrical Characteristics**

Operating Voltage	600 V				
Resistance Rating Conditions (Max)	56.1 Ω/1000 ft @ 68°F				
Body Features					
Wire & Cable Insulation Material	Radiation-Crosslinked, Modified ETFE				
Conductor Material	Tin-Plated Copper				
Wire Color (Base)	White				
Dimensions					
Wire Size	.35 mm <sup>2</sup>				
Weight (Nominal)	4.22 kg/km				
Outside Cable Diameter	1.12 – 1.19 mm[.044 – .047 in]				
Conductor Diameter Range	.7 – .76 mm[.275 – .029 in]				
Cable Insulation Thickness	.15 mm[.006 in]				
Other					
Other EU RoHS Compliance	Compliant				

## FLHTC0311-0.35-9

FlexLite HT, Operating Voltage 600 V, Tin-Plated Copper, 22 AWG Wire Size, .35 mm<sup>2</sup> Wire Size, Operating Temperature Range -65 – 200 °C, Hook Up Wire



EU ELV Compliance	Compliant
Product Type Features	
Cable Style	Primary, Stranded
Configuration Features	
Number of Strands	19
Number of Conductors	1
Product Compliance	
For compliance documentation, visit the product page on TE.com>	Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant No Restricted Materials Above Threshold
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	Compliant No Restricted Materials Above Threshold Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

## FLHTC0311-0.35-9

FlexLite HT, Operating Voltage 600 V, Tin-Plated Copper, 22 AWG Wire Size, .35 mm<sup>2</sup> Wire Size, Operating Temperature Range -65 – 200 °C, Hook Up Wire



TE TE
TE Part # 650074-000 D-436-36

# Customers Also Bought



MICRO-MATCH FTE,12P	FLHTC0311-0.25-2	STVTE 160 FI ABCDE VVVVV 7-03 TL-S * * 2	FLHTC
	13 222 1E		
TE Part #7-2176403-3 3550 1K0 1%	TE Part #3-1879497-3 CRGH1206 5% 22R 0.5W		

## Documents

Product Drawings FLHTC0311-0.35-9

English

Datasheets & Catalog Pages 1654025\_Sec9\_FlexLite

English