



✓ Active

TE CONNECTIVITY (TE) TLR 2512 1.0W R012 1% 50PPM 2K RL CGS | TLR

TLR3A10DR012FTDG TE Internal Number: 3-1879378-8

EU RoHS Compliant EU ELV Compliant

Resistor Type Current Sensing Resistor Number of Terminations 2 Size Code 2512 Packaging Method Taped & Reeled Tolerance 1%

PRODUCT DRAWING English

J 3D PDF

DOCUMENTATION

Product Drawings

SMD HIGH POWER - CURRENT SENSE RESISTORS, SERIES TLR - 3A

Рι	ノト
----	----

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

Downloaded from Arrow.com.

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES

Please review product documents or **contact us** for the latest agency approval information.

+

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Resistor Type Current Sensing Resistor Size Code 2512 Product Type Fixed Resistor

Configuration Features

Number of Resistors 1

Electrical Characteristics

Tolerance 1% Resistance (Ω) .012 Power Rating (W) 1

Termination Features

Number of Terminations 2 Termination Type Solder

Mechanical Attachment

Mount Style Surface Mount

Dimensions

Dimensions (mm) 6.4 x 3.2 x .6

Usage Conditions

Temperature Coefficient (ppm/°C) ±50

Packaging Features

Packaging Method Taped & Reeled

Statement of Compliance

Statement of Compliance PDF



