# 8-2399609-2 <

### PowerTube | PowerTube HVP-HD 1400

TE Internal #: 8-2399609-2 Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, Sealable, Power, Natural, PowerTube HVP-HD 1400

#### View on TE.com >

#### Connectors > PCB Connectors > PCB Headers & Receptacles > HVP HD1400 90 deg



Connector System: Bus Bar-to-Wire

Number of Positions: 1

Number of Rows: 1

Termination Method to PCB: Through Hole - Screw

Header Type: Header & Push-Push Assembly

### All HVP HD1400 90 deg (90)



## Features

## **Product Type Features**

Connector System	Bus Bar-to-Wire
Header Type	Header & Push-Push Assembly
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Nominal Voltage Architecture	1000 V
Operating Voltage	1000 VAC
Body Features	
Connector & Keying Code	В

Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, Sealable, Power, Natural, PowerTube HVP-HD 1400



14 mm[.55 in]
Silver (Ag)
Pin
Through Hole - Screw
Polarization
Panel Mount
With
Without
Without
140 °C[284 °F]
-40 - 140 °C[-40 - 284 °F]
Power
IP6K9K
UL 94V-0
Container

Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, Sealable, Power, Natural, PowerTube HVP-HD 1400



SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (10% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by

following all applicable governmental regulations relevant to your geographic location.

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**












## Also in the Series | PowerTube HVP-HD 1400

Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, Sealable, Power, Natural, PowerTube HVP-HD 1400







# Customers Also Bought



## Documents

Product Drawings 1POS,HVP1400,ASSY,90DEG,COD B

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_8-2399609-2\_B.3d\_igs.zip

English

**Customer View Model** 

**S** For support call+1 800 522 6752

Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, Sealable, Power, Natural, PowerTube HVP-HD 1400



ENG\_CVM\_CVM\_8-2399609-2\_B.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_8-2399609-2\_B.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications Application Specification

English