

### CoolSplice | CoolSplice Connectors

TE Internal #: 2213800-2

Butt Splice, 18 AWG Wire Size, .75 – .82 mm<sup>2</sup> Wire Size, Sealable, Splice Capacity 4, End Feed, Phosphor Bronze, Clear, CoolSplice

Connectors, Splices

View on TE.com >



Terminals & Splices > Splices > CoolSplice Quick Connect Splice











Splice Type: Butt Splice
Wire Size: .75 – .82 mm²

Sealable: **Yes**Splice Capacity: **4** 

#### All CoolSplice Quick Connect Splice (12)

### Features

### **Product Type Features**

Splice Type	Butt Splice
Sealable	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Splice Capacity	4
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Current Rating	5 A
Operating Voltage	600 V
Body Features	
Button Color	Blue

End Feed

Splice Features



Primary Product Color	Clear
Contact Features	
Contact Base Material	Phosphor Bronze
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	.75 – .82 mm²
Compatible Insulation Diameter Range	1.75 – 2.85 mm[.069 – .112 in]
Product Length	36.4 mm[1.433 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Compatible With Agency/Standards Products	IEC, UL
Compatible With Approved Standards Products	IEC 60988-2-3, UL 1977, UL 2459
UL Flammability Rating	UL 94V-2
Government Qualified Splice	No
Packaging Features	
Packaging Method	Box

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.11% in Component)



Dodecamethylcyclohexasiloxane (D6) (.11%

in Component)

Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



# Also in the Series | CoolSplice Connectors



# Customers Also Bought





PROFILE 1818



















#### **Documents**

**Product Drawings** 

**COOLSPLICE NEW STANDARD** 

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2213800-2\_D2.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2213800-2\_D2.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2213800-2\_D2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages



CoolSplice New Standard flyer (Chinese)

English

**CoolSplice Connector** 

**CoolSplice Connector** 

English

**Product Specifications** 

**Application Specification** 

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English

**Agency Approvals** 

DEKRA\_CB\_NL-68995\_C1 CoolSplice IEC60998-2-3

English