# RU73X2A10KLTDF - ACTIVE

### Holsworthy | Holsworthy RU73

TE Internal #: 5-2176272-3 Precision Resistor, Thin Film, 0805, .1 W, 10K ohm, .01 %, ±2 ppm/° C, Solder, 2 Termination, Height .55 mm [.022 in], Holsworthy RU73 View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Element Type: Thin Film

Package Size Code: 0805

Power Rating: .1 W

Resistance Value:  $10K \Omega$ 

### Features

Product Type Features



Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0805
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	100 V
Power Rating	.1 W
Resistance Value	10ΚΩ
Resistance Class	$1k\Omega - 1M\Omega$
Passive Component Tolerance	.01 %
Termination Features	
Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

**C** For support call+1 800 522 6752

### RU73X2A10KLTDF

Precision Resistor, Thin Film, 0805, .1 W, 10K ohm, .01 %, ±2 ppm/°C, Solder, 2 Termination, Height .55 mm [.022 in], Holsworthy RU73



#### Dimensions

Product Height	.55 mm[.022 in]
Product Length	2 mm[.079 in]
Product Width	1.25 mm[.049 in]
Usage Conditions	
Temperature Coefficient	±2 ppm/°C
Industry Standards	
Moisture Sensitivity Level	1
Packaging Features	
Packaging Method	Taped & Reeled

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024

(241)Candidate List Declared Against: JUNE2024 (241)Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

**&** For support call+1 800 522 6752


### RU73X2A10KLTDF

Precision Resistor, Thin Film, 0805, .1 W, 10K ohm, .01 %, ±2 ppm/°C, Solder, 2 Termination, Height .55 mm [.022 in], Holsworthy RU73





Also in the Series | Holsworthy RU73



# Customers Also Bought



TE Part #1676227-2 TE Part #1393222-4 TE Part #1676193-2 TE Part #1614883-2   RN 0805 1K24 0.1% 10PPM 1KRL V23061A1002A302=MINISTARKSTROM RN 0805 150K 0.1% 10PPM 1KRL CPF0805 100K 0.1% 25PPM 1K RL	TE Part #1676227-2	TE Part #1393222-4	TE Part #1676193-2	TE Part #1614883-2
	RN 0805 1K24 0.1% 10PPM 1KRL	V23061A1002A302=MINISTARKSTROM	RN 0805 150K 0.1% 10PPM 1KRL	CPF0805 100K 0.1% 25PPM 1K RL



### Documents

### Product Drawings RU 0805 10K 0.01% 2PPM 1K RL

English

### Datasheets & Catalog Pages

Thin film chip resistor RU73 series

English

### RU73X2A10KLTDF

Precision Resistor, Thin Film, 0805, .1 W, 10K ohm, .01 %, ±2 ppm/°C, Solder, 2 Termination, Height .55 mm [.022 in], Holsworthy RU73

