

Blind actuator REG-K/8x/10 with manual mode, light grey

MTN649808

Main

Range of product	KNX
Product or component type	Blind actuator
Operating mode	Manual KNX bus system
Bus type	KNX

Complementary

total number of 18 mm modules	8
mounting support	DIN rail
[Ue] rated operational voltage	230 V AC 50/60 Hz
[In] rated current	10 A
number of outputs	8
Load type	Motor: 1000 VA, 230 V AC
local signalling	LED

Environment

IP degree of protection IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.200 cm
Package 1 Width	12.700 cm
Package 1 Length	28.000 cm
Package 1 Weight	708.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	6
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.644 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information