# 5-1761465-2 ACTIVE

#### **CGS THS**

TE Internal #: 5-1761465-2

Board-to-Board, 64 Position, 1 mm [.039 in] Centerline, Right Angle,

Black, Height 9.4 mm [.37 in], CGS THS, PCI & PCI Express

Connectors

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Board-to-Board

Number of Positions: 64

Centerline (Pitch): 1 mm [ .039 in ]

Termination Post & Tail Length: 3.56 mm [ .14 in ]

Contact Mating Area Plating Material Thickness: [15 µin]

## **Features**

## **Product Type Features**

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Sealable	No
Configuration Features	
Number of PCB Mount Retention Features	2
Number of Positions	64
PCB Mount Orientation	Right Angle
Ejector	Without
Electrical Characteristics	
Operating Voltage	50 VAC
Body Features	

Product Weight	21.302 g
Primary Product Color	Black

#### **Contact Features**

Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze



Contact Current Rating (Max)	1.1 A
	15 μin
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	3.56 mm[.14 in]
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	High Temperature Nylon
Centerline (Pitch)	1 mm[.039 in]
Dimensions	
PCB Thickness (Accepted)	1.57 mm[.062 in]
Connector Height	9.4 mm[.37 in]
Connector Width	19.6 mm[.772 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Bus Type	PCI Express
Packaging Features	
Packaging Quantity	500
Packaging Method	Box & Tray, Package

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)



	1	contain		
	$n \cap T$	contain	$R \vdash \Delta (\vdash \vdash $	1 <b>&gt;</b> \/ H (
17053	11()1			1 . ) V I I

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



## Also in the Series | CGS THS



## Customers Also Bought










ORA















## **Documents**

## **Product Drawings**

pci expres ra assy 5.8mm thu hole 3.56mm

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-1761465-2\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1761465-2\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1761465-2\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Board-to-Board, 64 Position, 1 mm [.039 in] Centerline, Right Angle, Black, Height 9.4 mm [.37 in], CGS THS, PCI & PCI Express Connectors



## 4-1773442-7 Card Edge Connector for PCI Express Applications

English

**Product Specifications** 

**Product Specification** 

English