

#### AMP | Multilock Connector System

TE Internal #: 936242-1


Housing for Male Terminals, Wire-to-Wire, 8 Position, 4 mm [.157

in] Centerline, Natural, Signal, Multilock Connector System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MULTILOCK, CONNECTOR HOUSING



Connector System: Wire-to-Wire

Number of Positions: 8

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 4 mm [ .157 in ]

Sealable: No

#### All MULTILOCK, CONNECTOR HOUSING (393)

#### **Features**

#### **Product Type Features**

| Troduct Type Feducies    |                            |
|--------------------------|----------------------------|
| Mixed & Hybrid Connector | No                         |
| Connector Shape          | Rectangular                |
| Connector System         | Wire-to-Wire               |
| Connector & Housing Type | Housing for Male Terminals |
| Sealable                 | No                         |
| Primary Locking Feature  | Integrated in Housing      |
| Configuration Features   |                            |
| Blank Cavity Position    | 0                          |
| Number of Positions      | 8                          |
| Number of Rows           | 2                          |
| Body Features            |                            |
| Cable Exit Angle         | 180°                       |
| Primary Product Color    | Natural                    |
| Contact Features         |                            |
| Contact Size             | 2.3mm                      |
| Contact Type             | Tab                        |

2.3 mm[.09 in]

Mating Tab Width



#### **Mechanical Attachment**

| Terminal Position Assurance | Yes                        |
|-----------------------------|----------------------------|
| Strain Relief               | Without                    |
| Mating Alignment Type       | Polarized                  |
| Mating Alignment            | With                       |
| Connector Mounting Type     | Cable Mount (Free-Hanging) |

#### **Housing Features**

| Housing Material   | PBT           |
|--------------------|---------------|
| Centerline (Pitch) | 4 mm[.157 in] |

#### **Dimensions**

| Connector Height   | 16.7 mm[.657 in] |
|--------------------|------------------|
| Product Width      | 34 mm[1.33 in]   |
| Product Length     | 25.2 mm[.992 in] |
| Row-to-Row Spacing | 5 mm[.197 in]    |

# **Usage Conditions**

| Operating Temperature (Max) | 70 °C, 75 °C, 80 °C[158 °F][167 °F][176 °F] |
|-----------------------------|---|
| Operating Temperature Range | -40 - 80 °C[-40 - 176 °F]                   |

### Operation/Application

| Circuit Application | Signal  |  |
|---------------------|---------|--|
|                     | 5191131 |  |

# **Industry Standards**

| UL Flammability Rating | UL 94HB |  |
|------------------------|---------|--|
|------------------------|---------|--|

### **Packaging Features**

| Packaging Quantity | 260 |
|--------------------|-----|
| Packaging Method   | Bag |

#### Other

| Serviceable                          | Yes |  |
|--------------------------------------|-----|--|
| Connector Position Assurance Capable | No  |  |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|------------------------------|-----------|
| EU ELV Directive 2000/53/EC  | Compliant |



| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
|---|---|
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                 |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts









# Also in the Series | Multilock Connector System

Position Assurance(3)













Connector Seals & Cavity Plugs(2)



Insertion & Extraction Tools(6)



Other Automotive Connector Accessories(12)



PCB Headers & Receptacles(134)

# Customers Also Bought



TE Part #936268-1 MULTILOCK, CONNECTOR HOUSING



TE Part #5088450-7 PULL LOOP, CUT LENGTH 1.18 IN TE Part #1-936686-1 UNDER COVER FOR BLM TE Part #5-1897638-5 C.E BOX ASSY-BLM F/L-1FAN,4PW, STD

#### **Documents**

Product Drawings
090III 8P CAP ASSY

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_936242-1\_B.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_936242-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_936242-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the  $\pmb{\mathsf{Terms}}$  and  $\pmb{\mathsf{Conditions}}$  of use.

# Datasheets & Catalog Pages

MULTILOCK Connector System

English

#### **Product Specifications**

**Product Specification** 

English

Housing for Male Terminals, Wire-to-Wire, 8 Position, 4 mm [.157 in] Centerline, Natural, Signal, Multilock Connector System

