



# **Product Description**

High Performance Instrumentation, 1 Pair 18AWG (19x30) Tinned Copper, PVC Insulation E2 Color Code, Overall Beldfoil® Shield, PVC Outer Jacket, PLTC

# **Technical Specifications**

## Product Overview

Suitable Applications:	Instru	umentation, S	ensors, Valves, P	ositioners, 4-20	0mA, 0-10V			
Construction Details								
Conductor								
Element No. of Elements	Size S	tranding	Material					
Pair(s) 1	18 AWG 19	9x30 T(	C - Tinned Copper					
Insulation				_				
	Nor	. Thickness	Nom Inculati	on Diemotor	Color Codo	1		
Element Material   Pair(s) PVC - Polyvinyl C		n. Thickness			Color Code Black, Red			
		9 111 (0.46 1111	1) 0.061 111 (2.111		DIACK, REU			
Outer Shield								
Shield Type Mate	rial	Coverage	Drainwire Type					
Tape Bi-Laminate (	Alum+Poly)	100%	20 AWG (19x32) 1	TC				
Outer Jacket								
	lom. Thickne	Nom	Diameter Ring	ord				
Material Nom. Thickness Nom. Diameter Ripcord   PVC - Polyvinyl Chloride 0.037 in (0.94 mm) 0.239 in (6.07 mm) Yes								
Overall Cable Diameter (Nominal): 0.239 in (6.07 mm)								
Electrical Characteri	stics							
Electricals								
Element Nom. Conductor	DCR Nom.	Capacitanc	e Cond-to-Cond	Nom. Capaci	tance Cond	-to-Shield	Max. Ci	irrent

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Capacitance Cond-to-Shield	Max. Current
Pair(s)	7.2 Ohm/1000ft	54 pF/ft (180 pF/m)	100 pF/ft (330 pF/m)	5 Amps per Conductor at 25°C

## Voltage

UL Voltage Rating 300 V (PLTC, CMG)

## **Mechanical Characteristics**

UL Temperature Operat
105°C -30°C to +
Table Notes:

Stationary Min.	Installation Min.		
2.4 in (61 mm)	2.4 in (61 mm)		

Max. Pull Tension:	89 lbs (40 kg)	
Bulk Cable Weight:	32 lbs/1000ft	

## **Standards and Compliance**

Environmental Suitability:	Indoor/Outdoor, Indoor, Outdoor, Sunlight Resistance
Flammability / Reaction to Fire:	UL 1685 UL Loading, FT4, T-29-520, IEEE 1202
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	Article 725, Article 727, Article 800, CMG, ITC, PLTC
AWM Compliance:	AWM 2464
CEC / C(UL) Compliance:	CMG
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
UK Regulation Compliance:	UKCA Mark
APAC Compliance:	China RoHS II (GB/T 26572-2011)

#### **History**

Update and Revision: Revision Number: 0.626 Revision Date: 02-15-2024

### **Part Numbers**

#### Variants

Item #	Color	UPC	Footnote
9318 0601000	Chrome	612825228615	
9318 06010000	Chrome	612825228622	CZ
9318 06015000	Chrome	612825228639	CY
9318 0605000	Chrome	612825228646	CZ
9318 060U1000	Chrome	612825228592	
9318 060U500	Chrome	612825228608	

#### © 2024 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.