



**Part Number :** [1727185111](#)

**Product Description :** Mini-Fit TPA2/Sigma Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 24-22 AWG, 1.07-1.65mm Insulation Diameter, Reel

**Series Number :** 172718

**Status :** Active

**Product Category :** Crimp Terminals

**Packaging Alternative :** [1727185112 \(Bag\)](#)



---

## Documents & Resources

### Drawings

[Drawing 1727185111\\_sd.pdf](#)

[Packaging Design Drawing PK-172718-0000-000.pdf](#)

[Packaging Design Drawing PK-172718-0001-000.pdf](#)

### Specifications

[Application Specification AS-172718-0000-001.pdf](#)

[Product Specification PS-172718-0000-001.pdf](#)

[Test Summary 1727180001-TS-000.pdf](#)

[Test Summary 1727180002-TS-000.pdf](#)

[Test Summary 2131370001-TS-000.pdf](#)

[Test Summary 2131370002-TS-000.pdf](#)

### Tooling Specifications

[Application Tooling Specification ATS-2002180200-001.pdf](#)


[Application Tooling Specification ATS-2002181200-001.pdf](#)

[Application Tooling Specification ATS-639037100-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)

EU RoHS	Compliant per EU 2015/863
---------	---------------------------

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Crimp Terminals
Series	172718
Description	Mini-Fit TPA2/Sigma Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 24-22 AWG, 1.07-1.65mm Insulation Diameter, Reel
Application	Power, Wire-to-Board, Wire-to-Wire
Comments	See product specification for current derating information; See Mini-Fit TPA2 housing series for 3D models.
Product Family	Mini-Fit Family Power Connectors
Product Name	Mini-Fit Sigma,Mini-Fit TPA2
UPC	889056179348

### Electrical

Current - Maximum per Contact	11.0A
Voltage - Maximum	600V AC/DC

### Physical

Durability (mating cycles max)	30
Gender	Female

Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.210/g
Packaging Type	Reel
Plating min - Mating	2.500µm
Plating min - Termination	2.500µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.07-1.65mm
Wire Size (AWG)	22, 24
Wire Size mm <sup>2</sup>	N/A

### Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

### Use with Part(s)

Description	Part Number
Mini-Fit TPA2 and Mini-Fit Sigma Dual Row Receptacle Housings	<u>172708</u>
Mini-Fit TPA2 and Mini-Fit Sigma Single Row Receptacle Housings	<u>200453</u>

### Application Tooling

#### Global

Description	Part Number
Hand Crimp Tool for Mini-Fit TPA2 Male and Female Crimp Terminals, 22 AWG, Large and Small Insulation Grips	<u>2002180200</u>
Hand Crimp Tool for Mini-Fit TPA2 Male and Female Crimp Terminals, 24 AWG, Large and Small Insulation Grips	<u>2002181200</u>
Extraction Tool for Mini-Fit TPA2 Crimp Terminal, 24-16 AWG	<u>638246210</u>
FineAdjust Applicator for Mini-Fit TPA2 Crimp Terminals, 0.22mm <sup>2</sup> , 0.25mm <sup>2</sup> , 0.35 mm <sup>2</sup> and 24-22 AWG wires	<u>639037100</u>

---

This document was generated on Sep 25, 2024