


PC BOARD LAYOUT

- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 3 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 5 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 6 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 7 MARKING ON THIS SIDE.
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 9 POST FINISH: .000030 MIN GOLD IN CONTACT AREA TIN PLATE ON POSTS.



SECTION Z-Z

REFERENCE FAMILY DRAWING 650473 FOR ALL TYPE C HEADER OFFERINGS

OBSOLETE	3	1-16	X	X	X	48	-5650478-9
	9	1-16	X	X	X	48	5650478-6
	4	1-16	X	X	X	48	5650478-5
NOTES	POSITIONS LOADED	ROWS LOADED	NO. OF LOADED POSITION		ASSY PART NUMBER		
			C	B	A		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN J. POLIGNONE	OSMAYOS	 TE Connectivity
0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		OSMAYOS	OSMAYOS	
MATERIAL	FINISH	APVD A. SHARPE	OSMAYOS	NAME
		PRODUCT SPEC		ASSEMBLY, PIN, EUROCARD, TYPE 1/2C, 48 POSITION, 2.64[.104] SOLDER POST
		APPLICATION SPEC		SIZE
		WEIGHT		CAGE CODE
				DRAWING NO
				RESTRICTED TO
				A1 00779 C=5650478
				CUSTOMER DRAWING
				SCALE 5:1 SHEET 1 OF 1 REV S