

207896-1

✓ ACTIVE

AMP | AMP Type II

TE Internal #: 207896-1

Socket Contact, Gold, Snap-In Contact Retention, Size 16 Contact
 Size, 18 – 16 AWG Wire Size, .8 – 1.4 mm² Wire Size, Crimp, Copper
 Alloy, AMP Type II

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts

Contact Type: **Socket**Contact Mating Area Plating Material: **Gold**Wire Contact Termination Area Plating Material: **Gold**Contact Retention Within Housing: **With**Contact Retention Type Within Housing: **Snap-In**

Features

Product Type Features

Sealable	No
----------	----

Contact Features

Mating Pin Diameter	1.57 mm[.062 in]
Contact Underplating Material Thickness	1.27 µm[50 µin]
Wire Contact Termination Area Plating Thickness	.8 – 1.4 µm[30 µin]
Contact Mating Area Plating Material Thickness	.8 – 1.4 µm[30 µin]
Contact Mating Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Size	Size 16

Contact Base Material

Copper Alloy

Contact Current Rating (Max)

13 A

Termination Features

Termination Method to Wire & Cable

Crimp

Product Terminates To

Wire & Cable

Mechanical Attachment

Wire Insulation Support

Without

Contact Retention Type Within Housing

Snap-In

Dimensions

Wire Size

.8 – 1.4 mm²**Usage Conditions**

Operating Temperature Range

-55 – 105 °C [-55 – 302 °F]

Operation/Application

Circuit Application

Power

Packaging Features

Packaging Quantity

1000

Packaging Method

Bag

Product ComplianceFor compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024
(241)Candidate List Declared Against: JUNE
2024 (241)

SVHC > Threshold:

Pb (3% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | AMP Type II



Customers Also Bought





Documents

Product Drawings

[CONTACT SOC. ASSY.](#)

English

CAD Files

[Customer View Model](#)

[ENG_CVM_207896-1_B.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_207896-1_B.3d_stp.zip](#)

English

[Customer View Model](#)

[ENG_CVM_207896-1_B.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

Japanese

[Application Specification](#)

English