



CII

TE Internal #: 1617037-1

Contact Arrangement 2 Form C DPDT-CO, 26.5VDC Input Voltage, 5A Contact Current Rating, 26.5VDC Coil Voltage Rating, Half-Size Relays

[View on TE.com >](#)

Relays & Contactors > Relays > Mil-Aero Relays > Half-Size Relays



Contact Arrangement: **2 Form C DPDT-CO**

Input Voltage: **26.5 VDC**

Contact Current Rating: **5 A**

Coil Voltage Rating: **26.5 VDC**

Coil Resistance: **700  $\Omega$**

Features

Configuration Features

Contact Arrangement	2 Form C DPDT-CO
---------------------	------------------

Electrical Characteristics

Input Voltage	26.5 VDC
Contact Current Rating	5 A
Coil Voltage Rating	26.5 VDC
Coil Resistance	700 $\Omega$
Coil Power Rating DC	1 W

Body Features

Enclosure Type	Hermetically Sealed
----------------	---------------------

Termination Features

Relay Connection Type	Terminals
Terminal Configuration	Solder Hook Terminals

Mechanical Attachment

Product Mount Type	Chassis
--------------------	---------

Usage Conditions

Operating Temperature Range	-65 – 125 $^{\circ}\text{C}$
-----------------------------	------------------------------

Operation/Application



Vibration Resistance	20G's, 10 – 2000Hz
Shock Resistance	100G's, 6ms
Current Type	DC
Coil Magnetic System	Non-Polarized, Monostable

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1617110-9  
JMGST-5MW = M28776/7-007M



Customers Also Bought



TE Part #1614911-1

CPF0805 24K 0.1% 25PPM 1K RL



TE Part #4-2176328-5

CRGP 1206 47K 1%



TE Part #ZPF000000000008767

983-6SE 10-06 SN



TE Part #ZPF000000000008202

983-6KE 10-05 SN



TE Part #2-1617031-0

HFW1201K45 = M39016/6-109L



TE Part #YDBC30H-10-5PNV001

HERM RECP



TE Part #ZPF0000000000018732

FDBA 50H 14-19 PN-K-A276A

TE Part #2-1616338-4

50407370=NUT 3/8-24 9/16-HEX 2

Documents

Product Drawings

HFW5A1106K00 = HFW5A RELAY

English

Datasheets & Catalog Pages

5-1773450-5\_sec1\_HFW

English

RELAY

English