


Z-PACK | Z-PACK 2mm HM

TE Internal #: 1857989-1 PCB Mount Receptacle, 1 Gb/s, 22 Column, 5 Row, Traditional Backplane, 110 Position, Z-PACK 2mm HM, Hard Metric Backplane Connectors

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors



PCB Connector Assembly Type: PCB Mount Receptacle

Data Rate: 1 Gb/s

Number of Columns: 22

Number of Rows: 5

Backplane Architecture: Traditional Backplane

Features



Product Type Features

| Connector System | Board-to-Board | | | |
|-----------------------------------|-----------------------|--|--|--|
| Connector & Contact Terminates To | Printed Circuit Board | | | |
| PCB Connector Assembly Type | PCB Mount Receptacle | | | |
| Sealable | No | | | |
| Configuration Features | | | | |
| Number of Columns | 22 | | | |
| Number of Rows | 5 | | | |
| Backplane Architecture | Traditional Backplane | | | |
| Number of Positions | 110 | | | |
| PCB Mount Orientation | Right Angle | | | |
| Signal Characteristics | | | | |
| Data Rate | 1 Gb/s | | | |
| Body Features | | | | |
| Primary Product Color | Gray | | | |

C For support call+1 800 522 6752

PCB Mount Receptacle, 1 Gb/s, 22 Column, 5 Row, Traditional Backplane, 110 Position, Z-PACK 2mm HM, Hard Metric Backplane Connectors



Contact Features

| CompactPCI Designation | None | |
|--|----------------------------|--|
| Contact Underplating Material | Nickel | |
| Contact Base Material | Phosphor Bronze | |
| Contact Mating Area Plating Material | Gold | |
| Contact Mating Area Plating Material Thickness | .76 μm[29.92 μin] | |
| Contact Current Rating (Max) | 1.5 A | |
| Mechanical Attachment | | |
| Connector Mounting Type | Board Mount | |
| Housing Features | | |
| Housing Material | Glass-Filled Polyester | |
| Centerline (Pitch) | 2 mm[.079 in] | |
| Usage Conditions | | |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] | |
| Operation/Application | | |
| Circuit Application | Signal | |

Industry Standards

| UL Flammability Rating | UL 94V-0 |
|--|---|
| Packaging Features | |
| Packaging Quantity | 11 |
| Packaging Method | Tube |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 |

C For support call+1 800 522 6752

PCB Mount Receptacle, 1 Gb/s, 22 Column, 5 Row, Traditional Backplane, 110 Position, Z-PACK 2mm HM, Hard Metric Backplane Connectors



ppm.


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Hard Metric Backplane Connectors

(267)

Also in the Series Z-PACK 2mm HM

| and the second s | | | A Carton and a carton |
|--|-------------------------------|-----------------------------|-----------------------|
| Backplane Connector Housings(4) | Backplane Power Connectors(6) | Connector Caps & Covers(62) | Connector Contacts(2) |
| | | | |


High Speed Backplane Connectors(1)

Insertion & Extraction Tools(2)


Connector Hardware(97)

PCB Mount Receptacle, 1 Gb/s, 22 Column, 5 Row, Traditional Backplane, 110 Position, Z-PACK 2mm HM, Hard Metric Backplane Connectors





Customers Also Bought



| 2X12 ZSFP+ CONNECTOR ASSEMBLY | RF CA,MCX-RA PLUG TO PLUG,WITH RG316 | CA POWER CORDE | Load plate assembly for Cisco HW |
|--|---|----------------|----------------------------------|
| | | | |
| | | | |
| TE Part #6-1775855-4 RJ45 OVER USB W/ LED G/Y 50u" Au | | | |
| Documents | | | |
| Product Drawings Z-PACK/A F-HDR.110P EON | | | |
| English | | | |

CAD Files

Customer View Model

ENG_CVM_CVM_1857989-1_A.2d_dxf.zip

English

3D PDF

PCB Mount Receptacle, 1 Gb/s, 22 Column, 5 Row, Traditional Backplane, 110 Position, Z-PACK 2mm HM, Hard Metric Backplane Connectors



3D

Customer View Model ENG_CVM_CVM_1857989-1_A.3d_igs.zip English Customer View Model ENG_CVM_CVM_1857989-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English