


# PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	DCN 38089	03/11	PJS



**MATERIAL:**

- BODY, RIVET & COUPLING NUT: STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1
- LOCK RING: BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04
- GASKET: SILICONE RUBBER PER A-A-59588, CLASS 2B, GRADE 60/70
- WIRE ROPE: PER MIL-W-83420D, TYPE II, COMPOSITION B STAINLESS STEEL 7 BY 7 CONSTRUCTION, Ø.0655±.0030, Ø.132±.007 NYLON COATED JACKET
- TERMINALS: STAINLESS STEEL

**FINISH:**

- BODY, RIVET & COUPLING NUT: PASSIVATED PER AMS-2700

MATERIAL: SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1'0" X'X' ±15'	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SURFACE ROUGHNESS 63-MIL-STD-10. 6) DIA.'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS	<b>SV Microwave, Inc.</b> 2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409
FINISH: SEE NOTES	DECIMAL: X ±.030 .XX ±.010 .XXX ±.005	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994	TITLE: SMA PLUG NON-SHORTING DUST CAP W/ WIRE ROPE
SURFACE AREA: N/A	THIRD ANGLE PROJECTION	DRAWN: FED 03/15/11	SIZE: B CAGE CODE: 95077 DWG. NO. M39012/25-3124
PROPRIETARY THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.		CHECKED: PJS 03/15/11	SCALE: 3:1
		APPROVED: PJS 03/15/11	SHEET 1 OF 1