
106137-2 - ACTIVE

Z-PACK | Z-PACK 2mm HM

TE Internal #: 106137-2 PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM

View on TE.com >

Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: PCB Mount Shroud

Primary Product Color: Gray

Primary Product Material: Glass Filled Polyester

Number of Positions: 110

Operating Temperature (Max): 125 °C [257 °F]

Features

Product Type Features



Connector Cover Type	PCB Mount Shroud							
Configuration Features								
Number of Rows	5							
Number of Positions	110							
Body Features								
Primary Product Color	Gray							
Primary Product Material	Glass Filled Polyester							
Mechanical Attachment								
Mating Alignment Type	Multi-Purpose Center							
Mating Alignment	With							
Housing Features								
Centerline (Pitch)	2 mm[.079 in]							
Dimensions								
Product Width	15.4 mm[.606 in]							

106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM



Product Length	49.9 mm[1.965 in]							
Product Height	13.46 mm[.53 in]							
Row-to-Row Spacing	2 mm[.079 in]							
Usage Conditions								
Operating Temperature (Max)	125 °C[257 °F]							
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]							
Industry Standards								
UL Flammability Rating	UL 94V-0							
Product Compliance For compliance documentation, visit the product page on TE.com>								
EU RoHS Directive 2011/65/EU	Compliant							
EU ELV Directive 2000/53/EC	Compliant							
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold							
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)							

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM






Also in the Series Z-PACK 2mm HM



Connector Hardware(97)	Hard Metric Backplane Connectors	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)
	(267)		



Customers Also Bought



106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM







Documents

Product Drawings

Z-PACK/A SHRD.110P

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_106137-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_106137-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_106137-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English