



Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Thermistors



NTC Sensor Type: **Epoxy Coated NTC Thermistor**

Lead Wire Length: **76 mm [2.992 in]**

Resistance (at 25°C): **30 kΩ**

β-Value(25/85): **3942 K**

Tolerance β-Value: **±0.5 %**

Features

Product Type Features

NTC Sensor Type	Epoxy Coated NTC Thermistor
Tolerance β-Value	±0.5 %

Electrical Characteristics

β-Value(25/85)	3942 K
----------------	--------

Dimensions

Lead Wire Length	76 mm[2.992 in]
------------------	-----------------

Usage Conditions

Resistance (at 25°C)	30 kΩ
Operating Temperature Range	125 °C[257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JAN 2024
(240)

Does not contain REACH SVHC

Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # GA30K5A1A
DISCRETE 30K OHMS,+/-0.1C FROM 0C TO 70C

TE Part # GA30K5A1IB
DISCRETE 30K OHMS,+/-0.2C FROM 0C TO 70C

TE Part # GA30K5A1IC
DISCRETE 30K OHMS,+/-0.5C FROM 0C TO 70C

Customers Also Bought


TE Part #90546-1
ASSY PRO-CRIMPER UNIV M-N-L

TE Part #1804030-1
EXTRACTION TOOL ASSY


TE Part #T4111001041-000
RPC-M12-MS-4CON-PG7-MU

TE Part #321280
SPlice,SOLIS BUTT 14-12







TE Part #2-521055-2
ULTRAFAST 250 ASSY TAB 22-18
AWG TPBR




TE Part #GA30K5A1IB
DISCRETE 30K OHMS, +/-0.2C FROM
0C TO 70C




TE Part #34145
PG R 22-16 COMM 22-18 MIL 8



TE Part #1-1703061-2
PLUG, 2 CIRCUIT , UNIVERSAL MATE-
N-LOK



TE Part #49592
DAHT SOLIS 14-12 ASSY



TE Part #GA30K5A416I
DISC- 30K 25'C +/- 0.1'C

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_GA30K5A1IA_8.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_GA30K5A1IA_8.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_GA30K5A1IA_8.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Series_II_Thermistor_30K5A1I

English