TE Internal #: 2106150-1

TE Internal Description: Assem, End Cap Connector, G13 Style,

SMT

View on TE.com >



Connectors > Lighting Connectors > Ballast Connectors



Lighting Product Type: Connector Lighting Connector Type: Header

Number of Positions: 2

Centerline (Pitch): 12.7 mm [.5 in]

Wire Contact Termination Area Plating Material

Contact Mating Area Plating Material Thickness

Contact Mating Area Plating Material Finish

Contact Mating Area Plating Material

Sealable: No

Features

Product Type Features	
Lighting Product Type	Connector
Lighting Connector Type	Header
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	2
Electrical Characteristics	
Operating Voltage (Max)	250 VDC
Body Features	
Primary Product Material	LCP (Liquid Crystal Polymer)
Primary Product Color	Natural
Contact Features	
Contact Layout	Inline
Wire Contact Termination Area Plating Thickness	5.06 μm[199.21 μin]
Wire Contact Termination Area Plating Material Finish	Matte

Tin

Tin

Matte

5.06 μm[199.21 μin]



Contact Current Rating (Max)	2 A
------------------------------	-----

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Mechanical Attachment

PCB Mount Alignment	Without
PCB Mount Retention	With

Housing Features

Dimensions

Connector Length	26.48 mm[1.042 in]
Post-Mating Assembly Measurement	14.25 mm[.561 in]
Connector Height	4.13 mm[.163 in]
Connector Width	16.5 mm[.649 in]

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Industry Standards

Compatible With Approved Standards Products	CSA C22.2 No. 250, UL 1993
UL Flammability Rating	UL 94V-0

Packaging Features

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



TE Part #1-2834331-2 Buchanan WireMate ITB Poke-In



TE Part #4-2325807-3 LUMAWISE Z45 LED HOLDER 19X19 typB LEDiL



TE Part #7-2176072-0 CPF 0201 261R 0.5% 25PPM 1K RL







Documents

CAD Files

Customer View Model ENG_CVM_CVM_2106150-1_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2106150-1_A.3d_stp.zip

English

Customer View Model



ENG_CVM_CVM_2106150-1_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

G13_STYLE_SMT_ASSEMBLY_AND_END_CAP_COVER

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

ITS Report

English