






## NOTES

1. 製品番号505433\*\*7\*の詳細寸法は5054330002PSD000を参照ください。  
FOR DETAIL OF 505433\*\*7\* DIMENSIONS,  
PLEASE SEE THE 5054330002PSD000 (NOT PACKAGED).
2. 梱包数量 : 500個  
NUMBER OF CONNECTORS : 500 PIECES/REEL.
3. リードテープ長さ  
LEAD TAPE LENGTH



4. 材料 MATERIAL  
 キャリアテープ：ポリスチレン ( PS )  
 CARRIER TAPE : POLYSTYRENE ( PS )  
 トップテープ：ポリエステル ( PET )、その他  
 TOP TAPE : POLYESTER ( PET )、OTHER  
 リール：ポリスチレン ( PS ) <リサイクル材を含む>  
 REEL : POLYSTYRENE ( PS ) <RECYCLE MATERIAL CONTAINED>
5. トップテープの剥離強度については、IEC60286-3に準拠  
 TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.



エンボステープ  
EMBOSSSED TAPE


| EMBOSSSED TAPE |      |      |                                    | COLOR:GREEN                         | COLOR:BLUE                          | COLOR:RED                           | COLOR:BLACK                         | COLOR:NATURAL                       |               |
|----------------|------|------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|---------------|
| 49.4           | 45.4 | 20.2 | 44                                 | 5054334276                          | 5054334274                          | 5054334272                          | 5054334271                          | 5054334270                          | 42            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054334076                          | 5054334074                          | 5054334072                          | 5054334071                          | 5054334070                          | 40            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054333876                          | 5054333874                          | 5054333872                          | 5054333871                          | 5054333870                          | 38            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054333676                          | 5054333674                          | 5054333672                          | 5054333671                          | 5054333670                          | 36            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054333476                          | 5054333474                          | 5054333472                          | 5054333471                          | 5054333470                          | 34            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054333276                          | 5054333274                          | 5054333272                          | 5054333271                          | 5054333270                          | 32            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054333076                          | 5054333074                          | 5054333072                          | 5054333071                          | 5054333070                          | 30            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054332876                          | 5054332874                          | 5054332872                          | 5054332871                          | 5054332870                          | 28            |
| 49.4           | 45.4 | 20.2 | 44                                 | 5054332676                          | 5054332674                          | 5054332672                          | 5054332671                          | 5054332670                          | 26            |
| 37.4           | 33.4 | 14.2 | 32                                 | 5054332476                          | 5054332474                          | 5054332472                          | 5054332471                          | 5054332470                          | 24            |
| 37.4           | 33.4 | 14.2 | 32                                 | 5054332276                          | 5054332274                          | 5054332272                          | 5054332271                          | 5054332270                          | 22            |
| 37.4           | 33.4 | 14.2 | 32                                 | 5054332076                          | 5054332074                          | 5054332072                          | 5054332071                          | 5054332070                          | 20            |
| 37.4           | 33.4 | 14.2 | 32                                 | 5054331876                          | 5054331874                          | 5054331872                          | 5054331871                          | 5054331870                          | 18            |
| 37.4           | 33.4 | 14.2 | 32                                 | 5054331676                          | 5054331674                          | 5054331672                          | 5054331671                          | 5054331670                          | 16            |
| 29.4           | 25.4 | 11.5 | 24                                 | 5054331476                          | 5054331474                          | 5054331472                          | 5054331471                          | <b>5054331470</b>                   | <b>14</b>     |
| 29.4           | 25.4 | 11.5 | 24                                 | 5054331276                          | 5054331274                          | 5054331272                          | 5054331271                          | 5054331270                          | 12            |
| 29.4           | 25.4 | 11.5 | 24                                 | 5054331076                          | 5054331074                          | 5054331072                          | 5054331071                          | 5054331070                          | 10            |
| 29.4           | 25.4 | 11.5 | 24                                 | 5054330876                          | 5054330874                          | 5054330872                          | 5054330871                          | 5054330870                          | 8             |
| D              | C    | B    | エンボステープ幅<br>WIDTH OF TAPE<br><br>A | エンボス梱包<br>EMBOSSSED TAPE<br>PACKAGE | エンボス梱包<br>EMBOSSSED TAPE<br>PACKAGE | エンボス梱包<br>EMBOSSSED TAPE<br>PACKAGE | エンボス梱包<br>EMBOSSSED TAPE<br>PACKAGE | エンボス梱包<br>EMBOSSSED TAPE<br>PACKAGE | 極数<br>CKT. NO |
|                |      |      |                                    | オーダー番号<br>ORDER NO.                 | オーダー番号<br>ORDER NO.                 | オーダー番号<br>ORDER NO.                 | オーダー番号<br>ORDER NO.                 | オーダー番号<br>ORDER NO.                 |               |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


|                                                                                                                                                        |  |                                                      |                                       |              |                 |                        |       |                          |                                                                                  |                 |  |              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------|---------------------------------------|--------------|-----------------|------------------------|-------|--------------------------|----------------------------------------------------------------------------------|-----------------|--|--------------|--|
| <div>RELEASED</div> <div>EC NO: 112331</div> <div>DRWN: TAKAIKE</div> <div>CHKD: KOMURAKAMI</div> <div>APPR: TKANEKO</div> <div>REV</div> <div>A</div> |  | 2017/02/08                                           | GENERAL TOLERANCES (UNLESS SPECIFIED) |              | DIMENSION UNITS |                        | SCALE |                          | <div>molex®</div>                                                                |                 |  |              |  |
|                                                                                                                                                        |  | 2017/03/30                                           |                                       |              | MM              | NTS                    |       |                          |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | 2017/04/03                                           | ANGULAR TOL ± 3.0 °                   |              | DRWN BY         |                        | DATE  |                          | <div>MICRO-LOCK PLUS 1.25 W/B</div> <div>DUAL ROW ST SMT EMBOSSED TAPE PKG</div> |                 |  |              |  |
|                                                                                                                                                        |  | 4 PLACES                                             | ± 0.2                                 | TAKAIKE      |                 | 2017/02/08             |       |                          |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | 3 PLACES                                             | ± 0.2                                 | CHK'D BY     |                 | DATE                   |       |                          |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | 2 PLACES                                             | ± 0.2                                 | KOMURAKAMI   |                 | 2017/03/30             |       |                          |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | 1 PLACE                                              | ± 0.2                                 | APPR BY      |                 | DATE                   |       | PRODUCT CUSTOMER DRAWING |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | 0 PLACES                                             | ± 0.2                                 | TKANEKO      |                 | 2017/04/03             |       |                          |                                                                                  |                 |  |              |  |
|                                                                                                                                                        |  | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS |                                       | DRAWING SIZE |                 | THIRD ANGLE PROJECTION |       | SERIES                   |                                                                                  | MATERIAL NUMBER |  | CUSTOMER     |  |
|                                                                                                                                                        |  |                                                      |                                       | A3           |                 |                        |       | 505433                   |                                                                                  | SEE TABLE       |  | GENERAL      |  |
|                                                                                                                                                        |  |                                                      |                                       |              |                 | DOCUMENT NUMBER        |       | DOC TYPE                 |                                                                                  | DOC PART        |  | SHEET NUMBER |  |
|                                                                                                                                                        |  |                                                      |                                       |              |                 | 5054330001             |       | PSD                      |                                                                                  | 000             |  | 1 OF 1       |  |





8-24 CKT. 係止形状  
LOCK SHAPE OF 8-24 CKT.




26-32 CKT. 係止形状  
LOCK SHAPE OF 26-32 CKT.




34-42 CKT. 係止形状  
LOCK SHAPE OF 34-42 CKT.



嵌合状態図  
MATED CONNECTORS



基板パターンレイアウト (参考)  
(メタルマスク厚さ : 0.15mm)  
RECCOMENDED P.C.B. PATTERN LAYOUT (REF.)  
(METAL MASK THICKNESS : 0.15mm)

| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                        |                                                            |  |                 |  |                                                                                       |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------------------------|--|-----------------|--|---------------------------------------------------------------------------------------|--|-------------------------------------------------------|--|-----------------|--|-----------------|--------------------------|----------------|---------------------|--|--|
| RELEASED<br><br>EC NO: 112331<br>DRWN: TAKAIKE<br>CHK'D: KOMURAKAMI<br>APPR: TKANEKO                                                          | 2017/02/10<br>2017/03/30<br>2017/04/03 | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |  | DIMENSION UNITS |  | SCALE                                                                                 |  | <div>molex®</div>                                     |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        |                                                            |  | MM              |  | 4:1                                                                                   |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        | ANGULAR TOL ± 3.0 °                                        |  | DRWN BY         |  | DATE                                                                                  |  | MICRO-LOCK PLUS 1.25 W/B<br>DUAL ROW ST SMT PLUG ASSY |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        |                                                            |  | TAKAIKE         |  | 2017/02/10                                                                            |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        | 4 PLACES ± 0.2                                             |  | CHK'D BY        |  | DATE                                                                                  |  |                                                       |  |                 |  |                 | PRODUCT CUSTOMER DRAWING |                |                     |  |  |
|                                                                                                                                               |                                        |                                                            |  | KOMURAKAMI      |  | 2017/03/30                                                                            |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        | 3 PLACES ± 0.2                                             |  | APPR BY         |  | DATE                                                                                  |  | SERIES<br>505433                                      |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        |                                                            |  | TKANEKO         |  | 2017/04/03                                                                            |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
|                                                                                                                                               |                                        | 2 PLACES ± 0.2                                             |  | DRAWING SIZE    |  | THIRD ANGLE PROJECTION                                                                |  |                                                       |  |                 |  |                 | SEE TABLE                |                | CUSTOMER<br>GENERAL |  |  |
|                                                                                                                                               |                                        |                                                            |  | A3              |  |  |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |
| 1 PLACE ± 0.2                                                                                                                                 |                                        | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |  |                 |  |                                                                                       |  | DOCUMENT NUMBER<br>5054330002                         |  | DOC TYPE<br>PSD |  | DOC PART<br>000 |                          |                |                     |  |  |
|                                                                                                                                               |                                        |                                                            |  |                 |  |                                                                                       |  |                                                       |  |                 |  |                 |                          | 0 PLACES ± 0.2 |                     |  |  |
| A                                                                                                                                             |                                        | REV                                                        |  |                 |  |                                                                                       |  |                                                       |  |                 |  |                 |                          |                |                     |  |  |