



Corcom KEV

TE Internal #: 1-1609998-9

250A Current Rating, Threaded Bolt Input, Threaded Bolt Output, WYE (4 wire + ground), Operating Voltage 440 VAC, Chassis, Corcom KEV, 3-Phase Filters

[View on TE.com >](#)

EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: **250 A**

Input Termination Type: **Threaded Bolt**

Output Termination Type: **Threaded Bolt**

Wiring Configuration: **WYE (4 wire + ground)**

Operating Voltage: **440 VAC**

**Features**

**Product Type Features**

Filtering Requirements	Filtered
Input Termination Type	Threaded Bolt
Output Termination Type	Threaded Bolt

**Configuration Features**

Wiring Configuration	WYE (4 wire + ground)
----------------------	-----------------------

**Electrical Characteristics**

Leakage Current (Max) (230VAC, 50Hz)	15
Current Rating	250 A
Operating Voltage	440 VAC

**Mechanical Attachment**

Product Mount Type	Chassis
--------------------	---------

**Usage Conditions**

Operating Temperature Range	-25 – 85 °C
-----------------------------	-------------



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



Also in the Series | [Corcom KEV](#)



3-Phase Filters(38)


## Customers Also Bought



TE Part #61844-1  
RING TERMINAL 12-10 AWG .0395X.  
650 TPCU



TE Part #160181-2  
RING TONGUE IS 3.1-5.3 MM2 TPBR



TE Part #62428-2  
250 FASTON REC 12-10 AWG TPBR



TE Part #EL8112-000  
ZHD-CT LFH & Fluid Resistant Tube



TE Part #626037-2  
RING TONGUE TERMINAL 4.0-6.0  
MM2 TPBR



TE Part #58525-1  
PROCRIPPER TOOL & DIE



TE Part #1-2186528-1  
T2212-SWARE-PRINTER



TE Part #1-2186529-1  
T2212-PRINTER-CUTTER

## Documents

### Product Drawings

KEV 250A 2S NUT WYE 440VAC

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609998-9\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609998-9\\_B.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609998-9\\_B.2d\\_dxf.zip](#)

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

250KEVD6AFPW

250A Current Rating, Threaded Bolt Input, Threaded Bolt Output, WYE (4 wire + ground), Operating Voltage 440 VAC, Chassis, Corcom KEV, 3-Phase Filters



---

[Datasheets & Catalog Pages](#)

[KEV SERIES](#)

English