9-6474612-4 < ACTIVE

TE Internal #: 9-6474612-4 Wire-to-Board, 8 Position, 2.54 mm [.1 in] Centerline, Length 50.8 mm [2 in], Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Jumpers & Shunts



Connector System: Wire-to-Board

Number of Positions: 8

Centerline (Pitch): 2.54 mm [.1 in]

Product Length: 50.8 mm [2 in]

Connector & Contact Terminates To: Printed Circuit Board

Features

Product Type Features

Compatible With Discrete Wire Type	Solid					
Connector System	Wire-to-Board					
Connector & Contact Terminates To	Printed Circuit Board					
Configuration Features						
Number of Conductors	8					
Number of Rows	1					
Number of Positions	8					
Electrical Characteristics						
Impedance	117 Ω					
Operating Voltage	300 VAC					
Body Features						
Jumper Insulation Material	Nomex					
Contact Features						
Pin Arrangement (Left)	A					

9-6474612-4

Wire-to-Board, 8 Position, 2.54 mm [.1 in] Centerline, Length 50.8 mm [2 in], Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts



Pin Arrangement (Right)	A					
Contact Current Rating (Max)	3 A					
Housing Features						
Centerline (Pitch)	2.54 mm[.1 in]					
Dimensions						
Wire Size	.25 mm ²					
Product Length	50.8 mm[2 in]					
Usage Conditions						
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]					
Operation/Application						
Circuit Application	Power & Signal					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold					

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

9-6474612-4

Wire-to-Board, 8 Position, 2.54 mm [.1 in] Centerline, Length 50.8 mm [2 in], Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts





Customers Also Bought



TE Part #2205178-1	TE Part #3-1879498-8	TE Part #7-1437166-4	TE Part #1437211-8
FSN-22A-20	CRGH1206 5% 470K 0.5W	FSP-22A-8	FSK-21A-20

Documents

Product Drawings	
FSN-22A-8	

English

Product Specifications Product Specification

English

Agency Approvals UL Report

English