




Connectors > PCB Connectors > Memory Card Connectors > SIM Card Connectors



Compatible Card: **4FF SIM**
 SIM Card Product Type: **Hinge Type**
 Number of Positions: **7**
 Number of Loaded Positions: **7**
 Contact Current Rating (Max): **1 A**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Compatible Card	4FF SIM
SIM Card Product Type	Hinge Type

Configuration Features

Card Insertion Style	Normal Insertion
Card Detection Switch	With
Number of Positions	7
Number of Loaded Positions	7

Electrical Characteristics

Voltage Rating	30 VAC
Current Rating (Max)	1 A

Body Features

Ejector Type	Locking
--------------	---------

Contact Features

Contact Base Material	Copper Alloy
-----------------------	--------------



Contact Current Rating (Max)	1 A
------------------------------	-----

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Mechanical Attachment

Mating Alignment	With
------------------	------

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Shell Material	Stainless Steel
----------------	-----------------

Centerline (Pitch)	2.54 mm [.1 in]
--------------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C [-40 – 85 °F]
-----------------------------	---------------------------

Operation/Application

Durability Rating	2500 Cycles
-------------------	-------------

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Reel
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Not Yet Reviewed
-----------------------------	------------------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 2336582-1
PUSH-PUSH NANO SIM CONNECTOR



TE Part # 2452808-1
Nano SIM card Conn Push pull type

Customers Also Bought



TE Part #5535676-3
04 MODII HORZ SR CE 100CL




TE Part #5-1393243-6
RT424F24



TE Part #735159
250 PIDG FF



TE Part #1658527-6
622-1630LF FEM SOCKET, LEAD FREE



TE Part #2-1618241-0
K81AB57=RELAY, VACUUM, SPST-NO



TE Part #1-2176350-5
CRGCQ 2512 220R 5%



TE Part #3-2176331-3
CRGP 2512 4K7 1%



TE Part #2-320553-2
PIDG R 22-16 COMM 22-18 MIL 4



Documents

Product Drawings

[Nano SIM card conn HINGE type](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2452796-1_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2452796-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2452796-1_A.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English