



Part Number : [2121320004](#)

Product Description : 1.00mm Pitch Pico-EZmate Plus Receptacle Housing, Single Row, 4 Circuits, Black

Series Number : 212132

Status : Active

Product Category : Connector Housings



Documents & Resources

Drawings

[Drawing 2121320004_sd.pdf](#)

3D Models and Design Files

[2D Drawing DXF 2121320004.dxf](#)

[2D Drawing DXF \(PDF\) 2121320004.pdf](#)

[3D Model 2121320004_stp.zip](#)

Specifications

[Packaging Specification 2121329200-SPK-200.pdf](#)

[Product Specification 2121320000-PS-000.pdf](#)

[Product Specification 2121321000-PS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

[Multiple Part Industry Compliance Documents](#)

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	212132
Description	1.00mm Pitch Pico-EZmate Plus Receptacle Housing, Single Row, 4 Circuits, Black
Application	Signal, Wire-to-Board
Product Family	Pico-EZmate and Pico-EZmate Plus Wire-to-Board Connector Systems
Product Name	Pico-EZmate Plus
UPC	193264124640

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	4
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Polyamide
Net Weight	11.900/mg
Number of Rows	1
Packaging Type	Bag
Panel Mount	No

Pitch - Mating Interface	1.00mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +105°C

Mates With / Use With

Mates with Part(s)

Description	Part Number
Pico-EZmate Plus Single Row Surface Mount Headers	<u>212134</u>

This document was generated on Sep 20, 2024