

Description:

ITW Pancon will deliver an enhanced version of their .156" (3.96mm) centerline MAS-CON® headers.

- The enhancements include a higher temperature rated plastic material that is black in colour.
- Plating specifications will not be affected.
- The locking versions MLSS & MLAS pole numbers 2 to 12 will be replaced by versions with solid backwall (same as with our .100 / 2.54mm series). The designation is MTSS & MTAS.
- The polarized versions MPSS & MPAS will be replaced by versions with solid backwall. The designation is MTSS & MTAS.

Consequences:

There will be a change in certain existing part numbers as follows:

- MFSS156 & MFAS156 ==> no change
- MLSS156 & MLAS156 pole numbers 13 to 24 ==> no change
- MLSS156 & MLAS156 pole numbers 2 to 12 ==> change to MTSS156 & MTAS156
- MPSS & MPAS ==> replaced by MTSS156 & MTAS156 for poles sizes 2-14 and by MLSS156 & MLAS156 for pole size 13 to 24

REV	DATE	NOTE	NAME
3	091215	Correction page 4	rok
2	090505	page 4 (product nos) added	rok
1	081016	pages 2 & 3 added	rok
0	080722	issued	rok

ITW Pancon will deliver an enhanced version of their .156" (3.96mm) centerline MAS-CON® headers.

- The enhancements include a higher temperature rated plastic material that is black in colour.
- Plating specifications will not be affected.
- There will not be a change in existing part numbers.

MFSS156 & MFAS156:


- This series of the product line will not include any physical geometry changes, but will utilize the higher temperature rated plastic material.

.156" (3.96mm) Mascon flat Header 2 to 24 position MFXS156-XX

old



new











ITW Pancon will deliver an enhanced version of their .156" (3.96mm) centerline MAS-CON® headers

- ▶ The enhancements include a higher temperature rated plastic material that is black in color.
- ▶ Plating specifications will not be affected.

There will be a change in the part numbers as follows:

- ▶ MLSS156-xx & MLAS156-xx:
 - ▶ polnumbers 2 through 12 are being replaced by MTSS156-xx & MTAS156-xx
 - ▶ polnumbers 13 through 24 are not changed
- ▶ MPSS156-xx & MPAS156-xx:
 - ▶ These products are being replaced by the new ML-types as stated above.

.156" (3.96mm) Mascon Tab Polarized & Locking Header 2 to 24 position
MPxS156-xx & MLxS156-xx

old	new (black color)
<p data-bbox="523 790 774 824">Straight Version</p>  <p data-bbox="422 952 614 1019">MPSS156-xx white color</p>  <p data-bbox="422 1153 614 1220">MLSS156-xx white color</p>	 <p data-bbox="1013 801 1444 869">MLSS156-13 to MLSS156-24 -- breakable backwall --</p>  <p data-bbox="678 1176 949 1288">MTSS156-02 to MTSS156-12 -- solid backwall --</p>
<p data-bbox="539 1377 774 1411">Angled Version</p>  <p data-bbox="422 1523 614 1590">MPAS156-xx white color</p>  <p data-bbox="422 1724 614 1792">MLAS156-xx white color</p>	 <p data-bbox="997 1422 1428 1489">MLAS156-13 to MLAS156-24 -- breakable backwall --</p>  <p data-bbox="678 1948 949 2060">MTAS156-02 to MTAS156-12 -- solid backwall --</p>

Alt / Old / Ancien		Neu / New / Nouveaux	
Artikelnummer / Code / Order No.	Bezeichnung / Description / Description	Artikelnummer / Code / Order No.	Kommentar / Comment / Commentaire
MLAS156-2-D	MESSERLEISTE, ABGEW. MIT VERRIEGEL. / Angled Locking & Polarization / Coudé avec verrouillage et détrompage	MTAS156-2-D	Änderung der Artikelbezeichnung / Change of article numbers / changement du code
MLAS156-3-D		MTAS156-3-D	
MLAS156-4-D		MTAS156-4-D	
MLAS156-5-D		MTAS156-5-D	
MLAS156-6-C		MTAS156-6-C	
MLAS156-7-C		MTAS156-7-C	
MLAS156-8-C		MTAS156-8-C	
MLAS156-9-C		MTAS156-9-C	
MLAS156-10-C		MTAS156-10-C	
MLAS156-12-C		MTAS156-12-C	
MLAS156-13-C		MESSERLEISTE, ABGEW. MIT VERRIEGEL. / Angled Locking & Polarization / Coudé avec verrouillage et détrompage	
MLAS156-15-C	MLAS156-15-C		
MLAS156-16-C	MLAS156-16-C		
MLAS156-24-C	MLAS156-24-C		
MLSS156-2-D	MESSERLEISTE, GERADE MIT VERRIEGEL. / Straight Locking & Polarization / Droit avec verrouillage et détrompage	MTSS156-2-D	Änderung der Artikelbezeichnung / Change of article numbers / changement du code
MLSS156-3-D		MTSS156-3-D	
MLSS156-4-D		MTSS156-4-D	
MLSS156-5-D		MTSS156-5-D	
MLSS156-6-C		MTSS156-6-C	
MLSS156-7-C		MTSS156-7-C	
MLSS156-8-C		MTSS156-8-C	
MLSS156-9-C		MTSS156-9-C	
MLSS156-10-C		MTSS156-10-C	
MLSS156-11-C		MTSS156-11-C	
MLSS156-12-C		MTSS156-12-C	
MLSS156-13-C	MESSERLEISTE, GERADE MIT VERRIEGEL. / Straight Locking & Polarization / Droit avec verrouillage et détrompage	MLSS156-13-C	Keine Änderung der Artikelbezeichnung / No change of article numbers / pas de changement du code
MLSS156-14-C		MLSS156-14-C	
MLSS156-15-C		MLSS156-15-C	
MLSS156-16-C		MLSS156-16-C	
MLSS156-17-C		MLSS156-17-C	
MLSS156-18-C		MLSS156-18-C	
MLSS156-19-C		MLSS156-19-C	
MLSS156-20-C		MLSS156-20-C	
MLSS156-21-C		MLSS156-21-C	
MLSS156-22-C		MLSS156-22-C	
MLSS156-24-C		MLSS156-24-C	
MPAS156-2-D	MESSERLEISTE, ABGEW. MIT POLARI. / Angled & Polarization / Coudé avec détrompage	MTAS156-2-D	Änderung der Artikelbezeichnung / Change of article numbers / changement du code
MPAS156-3-D		MTAS156-3-D	
MPAS156-4-D		MTAS156-4-D	
MPAS156-5-D		MTAS156-5-D	
MPAS156-6-C		MTAS156-6-C	
MPAS156-7-C		MTAS156-7-C	
MPAS156-8-C		MTAS156-8-C	
MPAS156-9-C		MTAS156-9-C	
MPAS156-10-C		MTAS156-10-C	
MPAS156-11-C		MTAS156-11-C	
MPAS156-12-C		MTAS156-12-C	
MPAS156-13-C		MLAS156-13-C	
MPAS156-16-C		MLAS156-16-C	
MPAS156-20-C		MLAS156-20-C	
MPAS156-24-C		MLAS156-24-C	
MPSS156-2-D		MESSERLEISTE, GERADE. MIT POLARI. / Straight & Polarization / Droit avec détrompage	
MPSS156-3-D	MTSS156-3-D		
MPSS156-4-D	MTSS156-4-D		
MPSS156-5-D	MTSS156-5-D		
MPSS156-6-C	MTSS156-6-C		
MPSS156-7-C	MTSS156-7-C		
MPSS156-8-C	MTSS156-8-C		
MPSS156-9-C	MTSS156-9-C		
MPSS156-10-C	MTSS156-10-C		
MPSS156-11-C	MTSS156-11-C		
MPSS156-12-C	MTSS156-12-C		
MPSS156-13-C	MLSS156-13-C		
MPSS156-14-C	MLSS156-14-C		
MPSS156-15-C	MLSS156-15-C		
MPSS156-16-C	MLSS156-16-C		
MPSS156-18-C	MLSS156-18-C		
MPSS156-19-C	MLSS156-19-C		
MPSS156-20-C	MLSS156-20-C		

Technical Information / Technical Information / Technical Information / page 4-4

Information / Technical Information / Technical Information