

|                     | 1     |  |  |         |                         |                          | 2           |             |  | 3   |  |  | 4             |             |                    |      |  |
|---------------------|-------|--|--|---------|-------------------------|--------------------------|-------------|-------------|--|---|--|--|---------------|-------------|--------------------|------|--|
|                     |       |  | PA                                       | ART NUM | BER / (                 | CONTACT LOADING          |             |             | DETAIL OF  | F LOCATING PEGS (2x)  | SCALE 8/1  |  | DETAIL OF CEI | NTRAL PEG S | CALE 8/1           |      |  |
|                     | ROW-A | DIM-F<br>ROW-B   | I-P ±0.10 DIM-D<br>B ROW-C ROW-D ±0.30 F |         | TIN LEAD<br>PART NUMBER | LEAD FREE<br>PART NUMBER |             |             |  | 3   | 0.35   |  |               | 7           |                    |      |  |
|                     | 5.00  | 5.00   | 5.00                                     | 5.00    | 2.90                    | 85822-X01                | 85822-X01LF | -           | F0.1   |   |  | t t  |               |             |                    |      |  |
| A                   | 5.00  | 5.75   | 5.00                                     | 5.00    | 2.90                    | 85822-X02                | 85822-X02LF | -           | 2.4±0.   |   |  | 3.05±0.1   |               |             | 0.35               |      |  |
|                     | 5.00  | 5.75   | 6.50                                     | 5.00    | 2.90                    | 85822-X03                | 85822-X03LF | -           |  |   |  |  |               |             |                    |      |  |
|                     | 5.00  | 5.00   | 6.50                                     | 5.00    | 2.90                    | 85822-X04                | 85822-X04LF | -           | 2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2  |   | 5 <u>±0.1</u><br>55±0.05   |  | -             | ø1.9        | 95_0.00<br>95_0.05 |      |  |
|                     | 5.75  | 5.75   | 5.75                                     | 5.75    | 2.90                    | 85822-X05                | 85822-X05LF | -           |  | ø1.   | 70±0.05  |  |               | T           |                    |      |  |
| -                   | 6.50  | 5.75   | 5.00                                     | 5.75    | 2.90                    | 85822-X06                | 85822-X06LF | -           |  |   |  |  | R0.30         |             |                    | -    |  |
|                     | 6.50  | 6.50   | 6.50                                     | 5.75    | 2.90                    | 85822-X07                | 85822-X07LF | -           |  |   |  |  | - K           |             |                    |      |  |
|                     | 6.50  | 5.75   | 6.50                                     | 5.75    | 2.90                    | 85822-X08                | 85822-X08LF | -           |  |   |  |  |               |             |                    |      |  |
|                     | 6.50  | 5.00   | 5.00                                     | 5.00    | 2.90                    | 85822-X09                | 85822-X09LF | -           |  |   |  |  | _2.           | 25 REF      |                    |      |  |
| В                   | 5.75  | 5.75   | 5.75                                     | 5.75    | 3.70                    | 85822-X10                | 85822-X10LF | -           |  |   |  |  |               |             |                    |      |  |
| <b>رگڑ</b><br>د     |       | <u>\$1.5+0.10</u><br>\$2.05+0.05<br>\$2.05+0.05<br>\$2.05+0.05 |  |         |                         | YOUT<br>#D-NOTE-20       |             |             | P/N ROW   85822−X11LF 0   85822−X11 8   A 85822−X12LF   B 0   85822−X12LF 0   C 85822−X12LF   B 3   A 85822−X12LF   A A  | 5.0 5.0 5.0 5.0 5.0   5.0 5.0 5.0 5.0 5.0 5.0   5.0 5.0 5.0 5.0 5.0 5.0   5.0 5.0 5.0 5.0 5.0 5.0   5.0 5.0 5.0 5.0 5.0 5.0   5.0 5.0 5.0 5.0 5.0 5.0   5.0  5.0 5.0 5.0   5.0  5.0 5.0 5.0 | 5.0 2.90   5.0 5.0   5.0 5.0   5.0 2.90   5.0 2.90   5.0 2.90   5.0 2.90 |  |               |             |                    |      |  |
| Copyright FCI.<br>U |       |  |  |         |                         |                          |             |             | date Dr ANGULAR   2014/12/03 Eng MICHAEL SONG 2014/12/03 ANGULAR   2009/03/03 Chr ZHENG LUO 2014/12/03 0.xx ± 2   2009/03/03 Appr COLLINS LU 2014/12/03 Product for   2006/03/14 2006/08/11 EFC) |   |  | tolerance std<br>ISO 406 ISO 1101<br>SUNLESS OTHERWISE SPECIFIED<br>NEAR<br>0.XX $\pm 0.1$<br>0.XX $\pm 0.1$<br>ECN ELX-DC-19<br>mily METRAL Spec ref -<br>CONVERG |               |             | 2                  | Rev. |  |
| 1                   |       |  |  |         |                         |                          | 2           | PDS: Rev :T | STATUS:Rele  | 3<br>eased Printed: Dec 04  | , 2014   |  | 4             |             |                    |      |  |

А

В

С

D

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

85822-101LF 85822-109LF 85822-103LF 85822-111LF 85822-105LF 85822-112LF