# 1954643-1 ✓ ACTIVE

#### **Industrial USB IP67**

TE Internal #: 1954643-1

A, 2.0, Standard Profile, Receptacle, 1 Port, Cable Mount, Straight, Package, IP67, Wire-to-Wire, 4 Position, Industrial USB IP67, USB

Connectors

View on TE.com >



Connectors > Audio & Video Connectors > USB Connectors











USB Adapter Type: A

USB Version: 2.0

Connector Profile: Standard

Connector & Housing Type: Receptacle

Number of Ports: 1

### **Features**

### **Product Type Features**

USB Adapter Type	A
USB Version	2.0
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
USB Connector Type	USB 2.0 Type-A
Configuration Features	
Number of Ports	1
Number of Positions	4

## **Body Features**

Shell Plating Material	Tin over Nickel
Connector Profile	Standard

### **Contact Features**



Contact Mating Area Plating Material Thickness	.76 μm[29.92 μin]
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	1.5 A
Mechanical Attachment	
Locking Feature	With
PCB Mount Location	Cable Mount
PCB Mount Retention Type	None
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Polyester GF
Housing Color	Black
Body Orientation	Straight
Usage Conditions	
Soldering Temperature (Max)	350 °C[662 °F]
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Assembly Process Feature	None
Circuit Application	Power, Signal & High Speed Data
Industry Standards	
Industry Standard	USB 2.0
IP Rating	IP67
Packaging Features	
Packaging Quantity	1

### **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)

Package



Candidate List Declared Against: JAN 2021

(211)

Does not contain REACH SVHC

Halogen Content Not Yet Reviewed for halogen content

Solder Process Capability

Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


### **Compatible Parts**







### Also in the Series | Industrial USB IP67



## Customers Also Bought





TE Part #5747844-3 09 MSFL RCPT RA 318 (IN,FM,BL)



TE Part #1-6609929-5 PEOSXDSXB=C2229



TE Part #3-2176058-9 RLP73K 3A R39 5% 2K RL



TE Part #2-520337-2 ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #2355444-2 RJ45 PROTECTION CAP (PBT)



TE Part #2-2176372-0 RQ 0603 78K7 0.1% 10PPM 5K RL



TE Part #1462039-5 IM16GR=IM RELAY 110mW 12V



TE Part #5-445007-1 PLUG ASSY,25 POSN,AMPLIMITE



Std USB, Type A, Plug



### **Documents**

### **Product Drawings**

Recpt Kit, Series A to Series A

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1954643-1\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1954643-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1954643-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

A, 2.0, Standard Profile, Receptacle, 1 Port, Cable Mount, Straight, Package, IP67, Wire-to-Wire, 4 Position, Industrial USB IP67, USB Connectors



### 1-1773463-4\_INDUSTRIAL\_USB\_CONNECTORS

English

CONNECTIVITY SOLUTIONS FOR INFOTAINMENT APPLICATIONS

English

**Product Specifications** 

Application Specification

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English